

Environmental Monitoring results and analyses

--- The 1st Quarter of FY2021 ---
(From April 1 to June 30, 2021)

July 27, 2021
The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from April 1 to June 30, 2021 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and the concentration of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO Fukushima Daiichi accident.

【Fukushima Prefecture】

- Air dose rates : in a decreasing trend ; no significant variation observed
- Concentrations of radioactive materials in the air : in a decreasing trend ; no significant variation observed
- Concentrations of radioactive materials in monthly deposition : in a decreasing trend ; no significant variation observed
- Concentrations of radioactive materials in seawater : in a decreasing trend ; no significant variation observed
- Concentrations of radioactive materials in sea sediment : in a decreasing trend ; no significant variation observed

【Other areas in Japan】

- Air dose rates : fluctuating only a little around the same level before the accident ; no significant variation observed
- Concentrations of radioactive materials in monthly deposition : in a decreasing trend ; no significant variation observed
- Concentrations of radioactive materials in sea area : in a decreasing trend ; no significant variation observed

- The above-mentioned “significant variation” means a “change different from the trend in the past”.
- Refer to the following URL for detailed information including attached materials:
<https://www.nsr.go.jp/activity/monitoring/monitoring2-2.html>
- Refer to the following URL for monitoring results:
<https://radioactivity.nsr.go.jp/ja/index.html>
- Refer to the Appendix for detailed information and the Attached Document for basic data.

Environmental Monitoring results and analyses (detailed)

--- The 1st Quarter of FY2021 ---
(From April 1 to June 30, 2021)

July 27, 2021
The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from April 1 to June 30, 2021 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and the concentrations of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO (Tokyo Electric Power Company) Fukushima Daiichi accident.

I. Environmental Monitoring (land/sea) in Fukushima prefecture

【 Terrestrial area 】

1 Air dose

The air doses were in a decreasing trend and no significant variation was observed in this quarter.

(i) Air dose rates

Responsible organizations: NRA (The Nuclear Regulation Authority) and Fukushima prefectural government

Measuring period : April 1 - June 30, 2021

Measuring points : Fukushima prefecture

Measuring method : Measurement using monitoring posts

Monitoring results : Refer to the following URL:

<https://radioactivity.nsr.go.jp/map/ja/> (Air dose rates across Japan)

(ii) Car-borne monitoring

Monitoring results : Refer to the following URLs:

Responsible organizations: Cabinet Office

<https://www.meti.go.jp/earthquake/nuclear/release.html>

Responsible organizations: Fukushima prefectural government

<https://www.pref.fukushima.lg.jp/site/portal/ps-soukou.html>

(iii) Airborne monitoring

Monitoring results : Refer to the following URL:

Responsible organizations: NRA
<https://radioactivity.nsr.go.jp/en/list/307/list-1.html>

(iv) Precise monitoring in zones under evacuation orders and zones where evacuation orders have been lifted

Monitoring results : Refer to the following URL:

Responsible organizations: NRA
<https://radioactivity.nsr.go.jp/ja/contents/13000/12476/view.html>

(v) Accumulated doses

Responsible organizations: NRA (The Nuclear Regulation Authority)
Measuring period : December 23, 2020 - March 25, 2021 (Accumulated day: 91 days)
Measuring points : beyond 20 km from Fukushima Daiichi NPS (14 points)
Measuring method : Measurement using glass badge dosimeters
Monitoring results : Less than lower limit of measurement (0.1 mSv) – 3.4 mSv/3months
(Refer to Attached Document page 1)
Previous data : Less than lower limit of measurement – 3.4 mSv/3months
(October - December, 2020)
Less than lower limit of measurement - 4.3 mSv/3months
(October, 2019 - September, 2020)

2 Concentrations of radioactive materials in air

The concentrations of radioactive materials in air were in a decreasing trend and no significant variation was observed in this quarter.

(All results in the monitoring period were under the level of concentration limit ^(Note 1) specified by the law related to nuclear regulation in Japan)

- ① Within 20 km from Fukushima Daiichi NPS (6 sampling points)
- Responsible organization : NRA
Sampling period : March 9 - April 15, 2021
Monitoring results : Activity concentrations of Cs-134 were all “ND”(not detected) ;
Cs-137 were from ND to 0.00034 Bq/m³.
(Refer to Attached Document pages 2-6)
Previous data : Activity concentrations of Cs-134 were from ND to 0.000039 Bq/m³ ;
Cs-137 were from ND to 0.00064 Bq/m³.
(November, 2020 - February, 2021)
Cs-134 were from ND to 0.000091 Bq/m³ ;
Cs-137 were from ND to 0.0013 Bq/m³.
(November, 2019 - October, 2020)

- ② Beyond 20 km from Fukushima Daiichi NPS (5 sampling points)

Responsible organizations : NRA, Fukushima prefectural government

Sampling period : March 15 - April 22, 2021

Monitoring results : Activity concentrations of Cs-134 were all ‘ND’ ;
Cs-137 were from ND to 0.00038 Bq/m³.

(Refer to Attached Document pages 7-12)

Previous data : Activity concentrations of Cs-134 were from ND to 0.000034 Bq/m³.
Cs-137 were from ND to 0.00053 Bq/m³.

(November, 2020 - February, 2021)

Cs-134 were from ND to 0.00067 Bq/m³ ;
Cs-137 were from ND to 0.00022 Bq/m³.

(November, 2019 - October, 2020)

3 Concentrations of radioactive materials in monthly deposition

The concentrations of radioactive materials in monthly deposition were in a decreasing trend and no significant change was observed in this quarter.

(i) Responsible organization: Fukushima prefectural government

Sampling period: March – May, 2021

Sampling points: Fukushima prefecture (Fukushima city)

Analytical method: Measurement after evaporating all monthly samples

Monitoring Results:

Activity concentrations of Cs-134 were from 0.60 to 2.0 MBq/km²/month ;
Cs-137 were from 14 to 44 MBq/km²/month.

(See Attached Document pages 13-15)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 16)

[Sea Area]

4 Concentrations of radioactive materials in seawater

The concentrations of radioactive materials in seawater were in a decreasing trend and no significant variation was observed in this quarter.

① Seawater near the Fukushima Daiichi NPS

· Cs-134 and Cs-137 analyses

(All results in the monitoring period were under the level of the concentration limit
[Note 1] specified by the law of Japan.)

(i) Responsible organization: TEPCO

Sampling period: March 1 - May 24, 2021

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 20 L

Measurement time: 5,000 seconds

Monitoring result: Activity concentrations of Cs-134 were from ND to 0.014 Bq/L ;

Cs-137 were from 0.031 to 0.31 Bq/L.

(See Attached Document page 17)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 18)

(ii) Responsible organization: NRA

Sampling period: February 4 - May 19, 2021

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 60 L

Measurement time: 60,000 - 230,000 seconds

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.0028 Bq/L ;
Activity concentrations of Cs-137 were from 0.0058 to 0.061 Bq/L.

(See Attached Document page 19)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 20)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: February 12 - March 4, 2021

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 20 L

Measurement time: 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.003 Bq/L ;
Activity concentrations of Cs-137 were from 0.002 to 0.098 Bq/L.

(See Attached Document page 21)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 22)

· H-3 analysis

(All results in the monitoring period were under the level of the concentration limit [Note 1]
specified by the law in Japan.)

(i) Responsible organization: TEPCO

Sampling period: March 1 - May 3, 2021

Analytical method: Atmospheric distillation

Sampling amount: 50 mL

Measurement time: 5,400 seconds

Monitoring results: Activity concentrations of H-3 were from ND to 1.2 Bq/L .

(See Attached Document page 17)

(ii) Responsible organization: NRA

Sampling period: February 4 - May 19, 2021

Analytical method: Electrolytic enrichment technique

Sampling amount: 500 mL

Measurement time: 30,000 seconds

Monitoring results: Under analysis.

(See Attached Document page 19)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: February 12 - March 4, 2021

Analytical method: Reduced-pressure distillation

Sampling amount: 50 mL

Measurement time: 30,000 seconds

Monitoring results: Activity concentrations of H-3 were all ND.

(See Attached Document page 21)

· Sr-90 analysis

(All results in the monitoring period were under the level of the concentration limit

[Note 1] specified by the law in Japan.)

(i) Responsible organization: TEPCO

Sampling period: March 1 - May 3, 2021

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Monitoring results: Activity concentrations of Sr-90 were from 0.0056 to 0.23 Bq/L.

(See Attached Document page 17)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 18)

(ii) Responsible organization: NRA

Sampling period: February 4 - March 5, 2021

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Monitoring results: Activity concentrations of Sr-90 were from 0.00068 to 0.011 Bq/L.

(See Attached Document page 19)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 20)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: February 12 - March 4, 2021

Analytical method: Y-90 milking method

Sampling amount: 50 L

Measurement time: 3,600 seconds

Monitoring results: Activity concentrations of Sr-90 were from 0.0006 to 0.0072 Bq/L .

(See Attached Document page 21)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 22)

Refer to the following URL for the result of daily measurement, etc.

Responsible organizations: TEPCO

<https://radioactivity.nsr.go.jp/en/list/246/list-1.html>

② Radioactivity concentration in seawater around Fukushima Daiichi NPS

- Cs-134 and Cs-137 Analysis

(i) Responsible organization: TEPCO

Sampling period: March 1 - May 25, 2021

Analysis method: Coprecipitation method using ammonium phosphomolybdate

Sample amount: 30 L

Measuring time: 5,000 - 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.0022 Bq/L ;
Cs-137 were from 0.0014 to 0.045 Bq/L.

(See Attached Document pages 24-27)

The trends of activity concentrations at the main points are shown in the graphic charts.

(See Attached Document page 28)

(ii) Responsible organization: NRA

Sampling period: June 12, 2020 - May 19, 2021

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 60 L

Measurement time: 60,000 - 230,000 seconds

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.00082 Bq/L ;
Activity concentrations of Cs-137 were from 0.0014 to 0.014 Bq/L.

(See Attached Document page 29)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 30)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: February 12 - March 4, 2021

Analysis method: Coprecipitation method using ammonium phosphomolybdate

Sample amount: 20 L

Measuring time: 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were all ND ;
Activity concentrations of Cs-137 were from 0.003 to 0.023 Bq/L.

(See Attached Document page 31)

The trends of concentrations at the main points are shown in the graphic charts.

(See Attached Document page 32)

- H-3 Analysis

(i) Responsible organization: TEPCO

Sampling period: March 1 - May 20, 2021

Analysis method: Atmospheric-pressure distillation

Sample amount: 50 mL

Measuring time: 42,000 seconds

Monitoring results: Activity concentrations of H-3 were from ND to 0.44 Bq/L.

(See Attached Document pages 24-26)

- (ii) Responsible organization: NRA
Sampling period: June 12, 2020 - January 15, 2021
Analytical method: Electrolytic enrichment technique
Sampling amount: 500 mL
Measurement time: 30,000 seconds
Monitoring results: Activity concentrations of H-3 were from 0.043 to 0.13 Bq/L.
(See Attached Document page 29)
- (iii) Responsible organization: Fukushima prefectural government
Sampling period: February 12 - March 4, 2021
Analysis method: Reduced-pressure distillation
Sample amount: 50 mL
Measuring time: 30,000 seconds
Monitoring results: Activity concentrations of H-3 were all ND.
(See Attached Document page 31)
- Sr-90 Analysis
- (i) Responsible organization: TEPCO
Sampling period: March 1 - April 1, 2021
Analysis method: Y-90 milking method
Sample amount: 40 L
Measuring time: 6,000 seconds
Monitoring results: Activity concentrations of Sr-90 were from ND to 0.0014 Bq/L.
(See Attached Document pages 25-26)
- (ii) Responsible organization: NRA
Sampling period: June 12, 2020 - March 5, 2021
Analytical method: Y-90 milking method
Sampling amount: 40 L
Measurement time: 6,000 seconds
Monitoring results: Activity concentrations of Sr-90 were from 0.00053 to 0.0013 Bq/L.
(See Attached Document page 29)
- (iii) Responsible organization: Fukushima prefectural government
Sampling period: February 12 - March 4, 2021
Analysis method: Y-90 milking method
Sample amount: 50 L
Measuring time: 3,600 seconds
Monitoring result: Activity concentrations of Sr-90 were from 0.0006 to 0.0012 Bq/L.
(See Attached Document page 31)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 32)

- ③ Radioactivity concentration in seawater at the other coast of Fukushima, at coast of Miyagi and Ibaraki Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: TEPCO

<https://radioactivity.nsr.go.jp/en/list/245/list-1.html>

- ④ Radioactivity concentration in seawater at offshore Miyagi, Fukushima, Ibaraki and Chiba Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: NRA

<https://radioactivity.nsr.go.jp/en/list/292/list-1.html>

5 Concentrations of radioactive materials in sea sediment

The concentrations of radioactive materials in sea sediment were in a decreasing trend and no significant variation was observed in this quarter.

- ① Sea-sediment near the Fukushima Daiichi NPS

· Cs-134 and Cs-137 analyses

- (i) Responsible organization: TEPCO

Sampling period: March 1 - May 3, 2021

Monitoring results: Activity concentrations of Cs-134 were from 5.1 to 11 Bq/kg ;
Cs-137 were from 110 to 260 Bq/kg.

(See Attached Document page 34)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 36)

- (ii) Responsible organization: Fukushima prefectural government

Sampling date: February 12, 2021

Monitoring results: Activity concentrations of Cs-134 were from 1.8 to 13 Bq/kg ;
Cs-137 were from 38 to 290 Bq/kg.
Activity concentrations of Sr-90 were from ND to 0.43 Bq/kg.

(See Attached Document page 39)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 41)

- ② Sea-sediment around the Fukushima Daiichi NPS

· Cs-134 and Cs-137 analyses

- (i) Responsible organization: TEPCO

Sampling period: March 1 - May 27, 2021

Monitoring results: Activity concentrations of Cs-134 were from ND to 77 Bq/kg ;
Cs-137 were from 1.7 to 1,900 Bq/kg.

(See Attached Document pages 34-35)

The trends of concentrations at the main points are shown in the graphic charts.

(See Attached Document page 37)

- (ii) Responsible organization: Fukushima prefectural government
Sampling date: February 12, 2021
Monitoring results: Activity concentrations of Cs-134 were from 1.5 to 4.6 Bq/kg ;
Cs-137 were from 32 to 110 Bq/kg.
Activity concentrations of Sr-90 were from 0.19 to 0.20 Bq/kg .
(See Attached Document page 40)

The trends of concentrations are shown in the graphic charts.

(See Attached Document page 41)

- ③ Radioactivity concentration in seawater at offshore of Miyagi, Fukushima, Ibaraki and Chiba Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: NRA

<https://radioactivity.nsr.go.jp/en/list/272/list-1.html>

II. Nationwide Environmental Monitoring (land/sea) excluding Fukushima prefecture

1. Air dose rates (Responsible organization: NRA)

Refer to the following URL for nationwide air dose rates:

<https://radioactivity.nsr.go.jp/map/ja/>

Refer to the following URL for the locations of monitoring posts across Japan:

https://radioactivity.nsr.go.jp/ja/contents/1000/211/0/Location_and_GPS_data_of_monitoring_posts_in_47_prefectures.pdf

2. Concentrations of radioactive materials in monthly deposition
(Monitoring results of radioactivity levels in the environment)
(Monitoring points: 46 prefectures (excluding Fukushima prefecture)
(Responsible organization: 46 prefectures (excluding Fukushima prefecture)

· Cs-134 and Cs-137 analyses

Sampling period: March – May, 2021

Analytical method: Measurement after evaporating all monthly samples

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.062 MBq/km²/month;
Activity concentrations of Cs-137 were from ND to 2.2 MBq/km²/month.

(See Attached Document pages 13-15)

3. Environmental monitoring related to radioactive materials in the disaster stricken areas of the Great East Japan Earthquake: Water areas for public use including rivers, lakes, ponds and seacoasts
(Responsible organization: the Ministry of the Environment)

Monitoring results : Refer to the following URL:

https://www.env.go.jp/jishin/monitoring/results_r-pw.html

4. Sea Area Monitoring at the Outer Sea (Seawater)

Monitoring results : Refer to the following URLs:

Responsible organizations: NRA

<https://radioactivity.nsr.go.jp/en/list/291/list-1.html>

Responsible organization: Japan Coast Guard

<https://www1.kaiho.mlit.go.jp/KANKYO/OSEN/housha.html>

5 . Concentrations of radioactive materials at the entrance of Tokyo Bay

Monitoring results : Refer to the following URLs:

Responsible organizations: NRA

<https://radioactivity.nsr.go.jp/en/list/290/list-1.html>

Responsible organizations: the Ministry of the Environment

https://www.env.go.jp/jishin/monitoring/results_r-pw.html

Responsible organization: Ministry of Land, Infrastructure, Transport and Tourism

<https://www.pa.ktr.mlit.go.jp/kyoku/radiation/index.htm>

III. Other monitoring results

Monitoring results of foodstuff

Refer to the following URLs:

① The concentrations of radioactive materials in foodstuff:

https://www.mhlw.go.jp/shinsai_jouhou/shokuhin.html

② The concentrations of radioactive materials in marine products:

<https://www.jfa.maff.go.jp/j/housyanou/kekka.html>

③ Securing safety in the quality of alcoholic beverages against radioactive materials:

<https://www.nta.go.jp/taxes/sake/anzen/radioactivity.htm>

④ Inspections of radioactive materials in tap water:

https://www.mhlw.go.jp/shinsai_jouhou/suidou.html

For reference (TEPCO):

<https://www.tepcō.co.jp/decommission/data/analysis/index-j.html>

[Note 1]

- Items stipulated in Notice No.8(Appendix No.1) issued by the NRA:

The authorized discharge limit as a concentration level of each radioactive material in seawater:

I-131 : 40 Bq/L、Cs-134 : 60 Bq/L、Cs-137 : 90 Bq/L、Sr-90:30 Bq/L、H-3:60,000 Bq/L

The authorized discharge limit as a concentration level of each radioactive material in air :
I-131 : 5 Bq/m³、 Cs-134 : 20 Bq/m³、 Cs-137 : 30 Bq/m³

Attached Document

福島第一原子力発電所の20km以遠の積算線量結果について(ガラスバッジによる測定)
 Readings of Accumulated Dose at Reading points out of 20 km Zone of Fukushima Dai-ichi NPP (measured by glass badge dosimeter)

令和3年5月18日

原子力規制委員会

ガラスバッジによる値

May 18, 2021

Nuclear Regulation Authority (NRA)

Value measured by glass badge dosimeter

測定場所(福島第一原子力発電所からの距離) Reading point (length from Fukushima Dai-ichi NPP)		測定開始年月日 Measurement Start Date	12月の回収年月日 Collection Date	12月末までの積算日数 Accumulated Day (x) (mSv)	12月末までの積算数値 Reading of Accumulated Dose (a) (mSv)	回収年月日 Collection Date	1~3月の積算日数 Accumulated Day (y)	1~3月の積算数値 Reading of Accumulated Dose (b) (mSv)	3月末までの総積算日数 Accumulated Day (z = x + y)	3月末までの総積算数値 Reading of Accumulated Dose (c = a + b) (mSv)
【31】	双葉郡浪江町津島(30km西北西) Futaba county Namie town Tsushima (30km West/North/West)	2011/3/23	2020/12/24	3563	239.1	2021/3/25	91	0.7	3654	239.8
【32】	双葉郡浪江町赤宇木(32km北西) Futaba county Namie town Akougi (32km North/West)	2011/3/23	2020/12/24	3563	583.8	2021/3/25	91	3.4	3654	587.2
【33】	相馬郡飯館村長泥(33km北西) Soma county Iitate village Nagadoro (33km North/West)	2011/3/23	2020/12/24	3563	310.5	2021/3/25	91	2.0	3654	312.5
【34】	双葉郡浪江町津島(30km西北西) Futaba county Namie town Tsushima (30km West/North/West)	2011/4/26	2020/12/24	3530	109.1	2021/3/25	91	0.7	3621	109.8
【38】	いわき市四倉町中島(34km南南西) Iwaki city Yotsukura town Nakajima (34km South/South/West)	2011/3/31	2020/12/23	3555	10.7	2021/3/24	91	0.1	3646	10.8
【71】	双葉郡広野町下浅見川(23km南) Futaba county Hirono town Shimoasamigawa (23km South)	2011/5/1	2020/12/23	3525	8.8	2021/3/24	91	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	3616	8.8
【79】	双葉郡浪江町下津島(29km西北西) Futaba county Namie town Shimotsushima (29km West/North/West)	2011/3/23	2020/12/24	3563	257.9	2021/3/25	91	1.0	3654	258.9
【7】	南相馬市鹿島区寺内(32km北) Minamisoma city Kashima ward Terauchi (32km North)	2011/3/23	2020/12/24	3563	13.9	2021/3/25	91	0.1	3654	14.0
【1】	福島市杉妻町(62km北西) Fukushima city Sugitsuma town (62km North/West)	2011/3/23	2020/12/24	3563	15.0	2021/3/25	91	0.1	3654	15.1
【39】	相馬市山上(41km北北西) Soma city Yamakami (41km North/North/West)	2011/4/1	2020/12/24	3555	9.4	2021/3/25	91	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	3646	9.4
【84】	いわき市三和町差塩(39km南西) Iwaki city Miwa town Saiso (39km South/West)	2016/3/28	2020/12/23	1731	1.1	2021/3/24	91	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	1822	1.1
【76】	双葉郡川内村上川内(22km西南西) Futaba county Kawauchi village Kamikawauchi (22km West/South/West)	2016/3/28	2020/12/23	1731	1.9	2021/3/24	91	0.1	1822	2.0
【80】	南相馬市原町区高見町(24km北) Minamisoma city Haramachi ward Takami town (24km North)	2011/4/3	2020/12/23	3552	9.7	2021/3/24	91	0.1	3643	9.8
【21】	双葉郡葛尾村上野川(31km西北西) Futaba county Katsurao village Kaminogawa (31km West/North/West)	2011/4/1	2020/12/23	3554	1 62.3	2021/3/24	91	0.2	3645	62.5

福島第一原子力発電所20km圏内の大気浮遊じんの放射性物質濃度測定結果

Readings of dust samplings in 20km Zone of Fukushima Dai-ichi NPP

令和3年4月27日 Apr 27, 2021
原子力規制委員会 NRA

採取地點 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
60 南相馬市小高区本町 Minamisoma city Odaka ward Motomachi	北北西約16km 16km North/North/West	○	2021/3/9 12:32 ~ 2021/3/11 12:32	ND (0.000027)	0.000051 ± 0.0000090	ND	0.10		
			2021/2/8 12:05 ~ 2021/2/10 12:05	ND (0.000027)	0.00010 ± 0.000010	ND	0.10		
			2021/1/12 12:13 ~ 2021/1/14 12:13	ND (0.000026)	ND (0.000024)	ND	0.09		
			2020/12/8 12:08 ~ 2020/12/10 12:08	ND (0.000027)	0.000041 ± 0.0000096	ND	0.10		
			2020/11/10 12:07 ~ 2020/11/12 12:07	ND (0.000027)	ND (0.000028)	ND	0.10		
			2020/10/13 12:14 ~ 2020/10/15 12:14	ND (0.000024)	0.000066 ± 0.0000093	ND	0.10		
			2020/9/8 12:26 ~ 2020/9/10 12:26	ND (0.000024)	0.00010 ± 0.0000096	ND	0.08		
			2020/8/11 12:23 ~ 2020/8/13 12:23	ND (0.000027)	ND (0.000027)	ND	0.09		
			2020/7/14 12:33 ~ 2020/7/16 12:33	ND (0.000028)	ND (0.000024)	ND	0.11		
			2020/6/16 11:04 ~ 2020/6/18 11:04	ND (0.000026)	0.000038 ± 0.0000084	ND	0.09		
61 双葉郡浪江町大字幾 世橋 Futaba county Namie town oaza Kiyohashi	北北西約9km 9km North/North/West	○	2021/3/9 12:14 ~ 2021/3/11 12:14	ND (0.000027)	0.000090 ± 0.0000095	ND	0.08		
			2021/2/8 11:46 ~ 2021/2/10 11:46	ND (0.000025)	0.000054 ± 0.0000093	ND	0.09		
			2021/1/12 11:56 ~ 2021/1/14 11:56	ND (0.000026)	ND (0.000027)	ND	0.09		
			2020/12/8 11:49 ~ 2020/12/10 11:49	ND (0.000027)	0.000037 ± 0.0000098	ND	0.09		
			2020/11/10 11:42 ~ 2020/11/12 11:42	ND (0.000027)	0.000029 ± 0.0000096	ND	0.10		
			2020/10/13 11:54 ~ 2020/10/15 11:54	ND (0.000029)	0.00032 ± 0.000014	ND	0.08		
			2020/9/8 12:02 ~ 2020/9/10 12:02	ND (0.000025)	0.00013 ± 0.0000097	ND	0.07		
			2020/8/11 12:06 ~ 2020/8/13 12:06	ND (0.000027)	0.000058 ± 0.0000095	ND	0.08		
			2020/7/14 12:12 ~ 2020/7/16 12:12	ND (0.000028)	ND (0.000025)	ND	0.08		
			2020/6/16 10:37 ~ 2020/6/18 10:37	ND (0.000027)	0.000090 ± 0.0000093	ND	0.09		
			2020/5/12 12:02 ~ 2020/5/14 12:02	ND (0.000030)	0.00017 ± 0.000011	ND	0.08		
			2020/4/14 11:40 ~ 2020/4/16 11:40	0.000049 ± 0.0000094	0.00059 ± 0.000017	ND	0.09		

採取地点 Sampling Point		更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
				Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
62	双葉郡双葉町新山前沖 Futaba county Futaba town Shinzanmaeoki	北北西約4km 4km North/North/West	○	2021/3/9 11:40 ~ 2021/3/11 11:40	ND (0.000027)	0.00034 ± 0.000014	ND	0.29
				2021/2/8 11:18 ~ 2021/2/10 11:18	ND (0.000025)	0.00017 ± 0.000011	ND	0.29
				2021/1/12 11:27 ~ 2021/1/14 11:27	ND (0.000028)	0.000028 ± 0.0000092	ND	0.27
				2020/12/8 11:20 ~ 2020/12/10 11:20	ND (0.000026)	0.000063 ± 0.000010	ND	0.30
				2020/11/10 11:14 ~ 2020/11/12 11:14	ND (0.000026)	0.000079 ± 0.000011	ND	0.27
				2020/10/13 11:24 ~ 2020/10/15 11:24	ND (0.000025)	0.000040 ± 0.000014	ND	0.29
				2020/9/8 11:33 ~ 2020/9/10 11:33	0.000027 ± 0.0000086	0.000048 ± 0.000015	ND	0.27
				2020/8/11 11:34 ~ 2020/8/13 11:34	ND (0.000028)	0.000026 ± 0.000013	ND	0.28
				2020/7/14 11:43 ~ 2020/7/16 11:43	ND (0.000026)	0.000028 ± 0.0000085	ND	0.29
				2020/6/9 11:35 ~ 2020/6/11 11:35	0.000046 ± 0.0000094	0.000083 ± 0.000019	ND	0.28
63	双葉郡大熊町大字下野上 Futaba county Okuma town oaza Shimonogami	西南西約5km 5km West/South/West	○	2021/3/9 11:10 ~ 2021/3/11 11:10	ND (0.000029)	0.00023 ± 0.000012	ND	0.46
				2021/2/8 10:55 ~ 2021/2/10 10:55	ND (0.000026)	0.00029 ± 0.000013	ND	0.48
				2021/1/12 10:55 ~ 2021/1/14 10:55	0.000030 ± 0.0000087	0.00064 ± 0.000017	ND	0.45
				2020/12/8 10:55 ~ 2020/12/10 10:55	0.000039 ± 0.0000095	0.00052 ± 0.000016	ND	0.48
				2020/11/10 10:51 ~ 2020/11/12 10:51	0.000039 ± 0.0000093	0.00051 ± 0.000016	ND	0.45
				2020/10/13 10:59 ~ 2020/10/15 10:59	ND (0.000027)	0.00029 ± 0.000013	ND	0.46
				2020/9/8 11:06 ~ 2020/9/10 11:06	ND (0.000027)	0.00023 ± 0.000012	ND	0.41
				2020/8/11 11:10 ~ 2020/8/13 11:10	ND (0.000027)	0.00011 ± 0.000010	ND	0.45
				2020/7/14 11:17 ~ 2020/7/16 11:17	ND (0.000025)	0.000085 ± 0.0000098	ND	0.46
				2020/6/9 11:11 ~ 2020/6/11 11:11	ND (0.000028)	0.000032 ± 0.000014	ND	0.47

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
64 双葉郡富岡町大字本岡 Futaba county Tomioka town oaza Motooka	○ 南南西約9km 9km South/South/West	2021/3/9 10:31 ~ 2021/3/11 10:31	ND (0.000028)	0.00023 ± 0.000012	ND	0.25			
		2021/2/8 10:27 ~ 2021/2/10 10:27	ND (0.000027)	0.00021 ± 0.000012	ND	0.21			
		2021/1/12 10:28 ~ 2021/1/14 10:28	ND (0.000026)	0.000027 ± 0.0000086	ND	0.22			
		2020/12/8 10:26 ~ 2020/12/10 10:26	ND (0.000027)	0.000088 ± 0.0000097	ND	0.23			
		2020/11/10 10:27 ~ 2020/11/12 10:27	ND (0.000027)	0.000084 ± 0.000010	ND	0.21			
		2020/10/13 10:34 ~ 2020/10/15 10:34	ND (0.000027)	0.00012 ± 0.000011	ND	0.22			
		2020/9/8 10:35 ~ 2020/9/10 10:35	ND (0.000027)	0.00012 ± 0.000011	ND	0.20			
		2020/8/11 10:40 ~ 2020/8/13 10:40	ND (0.000038)	0.000079 ± 0.0000096	ND	0.21			
		2020/7/14 10:38 ~ 2020/7/16 10:38	ND (0.000027)	0.000044 ± 0.0000084	ND	0.20			
		2020/6/9 10:39 ~ 2020/6/11 10:39	ND (0.000031)	0.00039 ± 0.000014	ND	0.20			
65 双葉郡楓葉町大字北田 Futaba county Naraha town oaza Kitada	○ 南南西約16km 16km South/South/West	2021/3/9 10:06 ~ 2021/3/11 10:06	ND (0.000028)	ND (0.000026)	ND	0.11			
		2021/2/8 10:06 ~ 2021/2/10 10:06	ND (0.000028)	ND (0.000026)	ND	0.12			
		2021/1/12 10:06 ~ 2021/1/14 10:06	ND (0.000026)	ND (0.000023)	ND	0.11			
		2020/12/8 10:07 ~ 2020/12/10 10:07	ND (0.000026)	ND (0.000025)	ND	0.11			
		2020/11/10 10:07 ~ 2020/11/12 10:07	ND (0.000028)	ND (0.000026)	ND	0.10			
		2020/10/13 10:11 ~ 2020/10/15 10:11	ND (0.000027)	0.000050 ± 0.000010	ND	0.10			
		2020/9/8 10:14 ~ 2020/9/10 10:14	ND (0.000026)	0.000032 ± 0.0000083	ND	0.11			
		2020/8/11 10:17 ~ 2020/8/13 10:17	ND (0.000028)	ND (0.000027)	ND	0.11			
		2020/7/14 10:16 ~ 2020/7/16 10:16	ND (0.000026)	ND (0.000026)	ND	0.11			
		2020/6/9 10:14 ~ 2020/6/11 10:14	ND (0.000028)	ND (0.000027)	ND	0.11			
		2020/5/12 10:09 ~ 2020/5/14 10:09	ND (0.000026)	0.000045 ± 0.0000092	ND	0.09			
		2020/4/14 9:54 ~ 2020/4/16 9:54	ND (0.000031)	ND (0.000028)	ND	0.11			

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority

福島第一原子力発電所20km圏内の大気浮遊じんの放射性物質濃度測定結果

Readings of dust samplings in 20km Zone of Fukushima Dai-ichi NPP


令和3年5月27日 May 27, 2021
原子力規制委員会 NRA

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m^3) *			空間線量率 Air dose rate ($\mu \text{Sv}/\text{h}$)	備考 Remarks
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
60 南相馬市小高区本町 Minamisoma city Odaka ward Motomachi	北北西約16km 16km North/North/West	○ 2021/4/13 12:45 ~ 2021/4/15 12:45	ND (0.000025)	ND (0.000025)	ND	0.09	
61 双葉郡浪江町大字幾世橋 Futaba county Namie town oaza Kiyohashi	北北西約9km 9km North/North/West	○ 2021/4/13 12:29 ~ 2021/4/15 12:29	ND (0.000026)	0.000039 ± 0.0000090	ND	0.08	
62 双葉郡双葉町新山前沖 Futaba county Futaba town Shinzanmaeoki	北北西約4km 4km North/North/West	○ 2021/4/13 11:57 ~ 2021/4/15 11:57	ND (0.000026)	0.000071 ± 0.0000093	ND	0.26	
63 双葉郡大熊町大字下野上 Futaba county Okuma town oaza Shimonogami	西南西約5km 5km West/South/West	○ 2021/4/13 11:33 ~ 2021/4/15 11:33	ND (0.000027)	0.00021 ± 0.000012	ND	0.44	
64 双葉郡富岡町大字本岡 Futaba county Tomioka town oaza Motoooka	南南西約9km 9km South/South/West	○ 2021/4/13 10:59 ~ 2021/4/15 10:59	ND (0.000028)	0.00025 ± 0.000012	ND	0.22	
65 双葉郡楳葉町大字北田 Futaba county Naraha town oaza Kitada	南南西約16km 16km South/South/West	○ 2021/4/13 10:31 ~ 2021/4/15 10:31	ND (0.000028)	0.000056 ± 0.0000094	ND	0.11	

*「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority



福島第一原子力発電所 20km 圏内の大気浮遊じん試料採取ポイント

Dust sampling points in 20km Zone of Fukushima Dai-ichi NPP.

番号は試料採取ポイントを示す。

The numbers indicate the sampling points.

原子力規制委員会による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by NRA

令和3年4月27日 Apr 27, 2021
原子力規制委員会 NRA

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
300 相馬市中村 Soma city Nakamura	43km北北西 43km North/North/West	○	2021/3/15 14:05 ~ 2021/3/17 14:05	ND (0.000027)	ND (0.000026)	ND	0.07		
			2021/2/15 14:08 ~ 2021/2/17 14:08	ND (0.000028)	ND (0.000027)	ND	0.07		
			2021/1/12 14:07 ~ 2021/1/14 14:07	ND (0.000026)	ND (0.000026)	ND	0.07		
			2020/12/14 13:58 ~ 2020/12/16 13:58	ND (0.000027)	ND (0.000027)	ND	0.07		
			2020/11/17 15:09 ~ 2020/11/19 15:09	ND (0.000025)	ND (0.000028)	ND	0.06		
			2020/10/20 14:10 ~ 2020/10/22 14:10	ND (0.000026)	ND (0.000028)	ND	0.06		
			2020/9/15 14:13 ~ 2020/9/17 14:13	ND (0.000027)	ND (0.000026)	ND	0.07		
			2020/8/18 13:58 ~ 2020/8/20 13:58	ND (0.000026)	ND (0.000027)	ND	0.06		
			2020/7/20 13:50 ~ 2020/7/22 13:50	ND (0.000028)	0.000040 ± 0.0000085	ND	0.07		
			2020/6/22 14:10 ~ 2020/6/24 14:10	ND (0.000026)	ND (0.000025)	ND	0.06		
301 二本松市針道 Nihonmatsu city Harimichi	44km西北西 44km West/North/West	○	2021/3/15 10:50 ~ 2021/3/17 10:50	ND (0.000026)	ND (0.000025)	ND	0.14		
			2021/2/15 10:45 ~ 2021/2/17 10:55	ND (0.000025)	ND (0.000025)	ND	0.15		
			2021/1/12 11:00 ~ 2021/1/14 11:00	ND (0.000025)	ND (0.000026)	ND	0.14		
			2020/12/14 10:48 ~ 2020/12/16 10:48	ND (0.000026)	ND (0.000025)	ND	0.15		
			2020/11/17 10:52 ~ 2020/11/19 10:52	ND (0.000025)	ND (0.000029)	ND	0.14		
			2020/10/20 10:45 ~ 2020/10/22 10:45	ND (0.000025)	ND (0.000026)	ND	0.15		
			2020/9/15 10:57 ~ 2020/9/17 10:57	ND (0.000026)	0.000033 ± 0.0000088	ND	0.14		
			2020/8/18 10:50 ~ 2020/8/20 10:50	ND (0.000027)	ND (0.000025)	ND	0.16		
			2020/7/20 10:43 ~ 2020/7/22 10:43	ND (0.000027)	ND (0.000026)	ND	0.16		
			2020/6/22 10:58 ~ 2020/6/24 10:58	ND (0.000028)	ND (0.000028)	ND	0.15		
			2020/5/19 10:54 ~ 2020/5/21 10:54	ND (0.000026)	ND (0.000026)	ND	0.15		
			2020/4/14 10:55 ~ 2020/4/16 10:55	ND (0.000027)	ND (0.000028)	ND	0.14		

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *				空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))							
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides					
302 双葉郡浪江町下津島 Futaba county Namie town Shimotsushima	29km西北西 29km West/North/West	○	2021/3/16 10:36 ~ 2021/3/18 10:36	ND (0.000027)	0.00034 ± 0.000014	ND	0.65			
			2021/2/16 10:38 ~ 2021/2/18 10:38	ND (0.000026)	0.00012 ± 0.000010	ND	0.64			
			2021/1/19 10:43 ~ 2021/1/21 10:43	ND (0.000026)	0.000087 ± 0.0000094	ND	0.63			
			2020/12/15 10:38 ~ 2020/12/17 10:38	ND (0.000027)	0.000045 ± 0.0000089	ND	0.58			
			2020/11/24 10:37 ~ 2020/11/26 10:37	0.000034 ± 0.0000085	0.00053 ± 0.000017	ND	0.63			
			2020/10/27 10:41 ~ 2020/10/29 10:41	0.000067 ± 0.0000098	0.0011 ± 0.000021	ND	0.66			
			2020/9/16 10:37 ~ 2020/9/18 10:37	ND (0.000026)	0.00021 ± 0.000012	ND	0.76			
			2020/8/25 10:35 ~ 2020/8/27 10:35	ND (0.000028)	0.00042 ± 0.000014	ND	0.79			
			2020/7/27 10:38 ~ 2020/7/29 10:38	ND (0.000026)	0.000099 ± 0.000010	ND	0.75			
			2020/6/23 10:32 ~ 2020/6/25 10:32	ND (0.000026)	0.00012 ± 0.000011	ND	0.76			
303 田村市船引町船引 Tamura city Funehiki town Funehiki	41km西 41km West	○	2021/3/16 13:50 ~ 2021/3/18 13:50	ND (0.000026)	ND (0.000026)	ND	0.09			
			2021/2/16 13:41 ~ 2021/2/18 13:41	ND (0.000027)	ND (0.000026)	ND	0.10			
			2021/1/19 13:48 ~ 2021/1/21 13:48	ND (0.000027)	ND (0.000025)	ND	0.10			
			2020/12/15 13:41 ~ 2020/12/17 13:41	ND (0.000026)	ND (0.000025)	ND	0.10			
			2020/11/24 13:45 ~ 2020/11/26 13:45	ND (0.000026)	ND (0.000030)	ND	0.09			
			2020/10/27 13:58 ~ 2020/10/29 13:58	ND (0.000026)	ND (0.000026)	ND	0.10			
			2020/9/16 13:50 ~ 2020/9/18 13:50	ND (0.000026)	ND (0.000027)	ND	0.10			
			2020/8/25 13:45 ~ 2020/8/27 13:45	ND (0.000027)	ND (0.000026)	ND	0.10			
			2020/7/27 13:47 ~ 2020/7/29 13:47	ND (0.000027)	ND (0.000028)	ND	0.09			
			2020/6/23 13:43 ~ 2020/6/25 13:43	ND (0.000028)	ND (0.000026)	ND	0.11			
			2020/5/25 13:55 ~ 2020/5/27 13:55	ND (0.000027)	ND (0.000025)	ND	0.09			
			2020/4/21 14:08 ~ 2020/4/23 14:08	ND (0.000027)	ND (0.000025)	ND	0.10			

*「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority

原子力規制委員会による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by NRA

令和3年5月27日 May 27, 2021
原子力規制委員会 NRA

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					(検出限界値 Minimum Detectable Activity (Bq/m ³))				
					Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
300	相馬市中村 Soma city Nakamura	43km北北西 43km North/North/West	○	2021/4/13 13:38 ~ 2021/4/15 13:38	ND (0.000025)	ND (0.000023)	ND	0.06	
301	二本松市針道 Nihonmatsu city Harimichi	44km西北西 44km West/North/West	○	2021/4/13 10:48 ~ 2021/4/15 10:48	ND (0.000028)	0.000069 ± 0.0000088	ND	0.15	
302	双葉郡浪江町下津島 Futaba county Namie town Shimotsushima	29km西北西 29km West/North/West	○	2021/4/20 10:28 ~ 2021/4/22 10:28	ND (0.000027)	0.00038 ± 0.000014	ND	0.62	
303	田村市船引町船引 Tamura city Funehiki town	41km西 41km West	○	2021/4/20 13:53 ~ 2021/4/22 13:53	ND (0.000026)	ND (0.000024)	ND	0.10	

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]

NRA : Nuclear Regulation Authority

福島県による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by Fukushima Prefecture

令和3年4月27日 Apr 27, 2021
原子力規制委員会 NRA

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
1A 福島市方木田 Fukushima city Houkida	63km北西 63km North/West	○	2021/3/22 9:40 ~ 2021/3/23 9:40	ND (0.000037)	ND (0.000032)	ND	測定せず Not measured		
			2021/2/1 10:50 ~ 2021/2/2 10:50	ND (0.000042)	ND (0.000036)	ND	測定せず Not measured		
			2021/1/5 15:15 ~ 2021/1/6 15:15	ND (0.000030)	ND (0.000024)	ND	測定せず Not measured		
			2020/12/1 15:40 ~ 2020/12/2 15:40	ND (0.000032)	ND (0.000026)	ND	測定せず Not measured		
			2020/11/2 9:40 ~ 2020/11/3 9:40	ND (0.000033)	0.000030 ± 0.0000082	ND	測定せず Not measured		
			2020/10/5 9:35 ~ 2020/10/6 9:35	ND (0.000030)	ND (0.000028)	ND	測定せず Not measured		
			2020/9/7 10:05 ~ 2020/9/8 10:05	ND (0.000044)	ND (0.000029)	ND	測定せず Not measured		
			2020/8/5 9:00 ~ 2020/8/6 9:00	ND (0.000036)	0.000052 ± 0.0000080	ND	測定せず Not measured		
			2020/7/2 10:30 ~ 2020/7/3 10:30	ND (0.000037)	0.000032 ± 0.0000074	ND	測定せず Not measured		
			2020/6/1 14:25 ~ 2020/6/2 14:25	ND (0.000039)	ND (0.000032)	ND	測定せず Not measured		
			2020/5/7 9:30 ~ 2020/5/8 9:30	ND (0.000039)	0.000031 ± 0.0000090	ND	測定せず Not measured		
			2020/4/1 13:40 ~ 2020/4/2 13:40	ND (0.000041)	0.000087 ± 0.0000096	ND	測定せず Not measured		

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority

福島県による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by Fukushima Prefecture

令和3年5月27日 May 27, 2021
原子力規制委員会 NRA

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) * (検出限界値 Minimum Detectable Activity (Bq/m ³))			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
1A	福島市方木田 Fukushima city Houkida	63km北西 63km North/West	○	2021/4/6 10:00 ~ 2021/4/7 10:00	ND (0.000048)	ND (0.000037)	ND	測定せず Not measured	

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* “ND” indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]


NRA :Nuclear Regulation Authority



大気浮遊じんの採取地点

Dust sampling points

平成30年4月1日時点
(As of Apr-2018)



環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R3年3月分 [Mar, 2021])

2021.4.30 [Apr 30, 2021]

MBq/km²・月 [MBq/km²·month]

	都道府県名 [Prefecture] [City]	月 間 降 下 物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.12]	不検出[< 0.053]	不検出[< 0.045]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.11]	不検出[< 0.058]	不検出[< 0.054]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 0.40]	不検出[< 0.063]	0.33		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.17]	不検出[< 0.061]	0.55		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.22]	不検出[< 0.052]	不検出[< 0.054]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.12]	不検出[< 0.060]	0.23		
7	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.36]	2.0	44		
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 0.62]	不検出[< 0.12]	0.94		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.43]	不検出[< 0.071]	0.27		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.25]	不検出[< 0.099]	1.8		
11	埼玉県(比企郡) [Saitama] [Hikiri]	不検出[< 0.15]	不検出[< 0.086]	0.24		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.070]	不検出[< 0.069]	0.23		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.13]	不検出[< 0.036]	0.40		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	不検出[< 0.20]	不検出[< 0.044]	0.11		
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.15]	不検出[< 0.046]	0.060		
16	富山県(射水市) [Toyama] [Inuzu]	不検出[< 0.097]	不検出[< 0.035]	不検出[< 0.047]		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.31]	不検出[< 0.044]	不検出[< 0.033]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.12]	不検出[< 0.067]	不検出[< 0.048]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.35]	不検出[< 0.080]	不検出[< 0.076]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.13]	不検出[< 0.069]	不検出[< 0.069]		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.14]	不検出[< 0.063]	不検出[< 0.055]		
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.24]	不検出[< 0.054]	不検出[< 0.048]		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.17]	不検出[< 0.050]	不検出[< 0.038]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.25]	不検出[< 0.046]	不検出[< 0.040]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.29]	不検出[< 0.051]	不検出[< 0.044]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.22]	不検出[< 0.041]	不検出[< 0.035]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.084]	不検出[< 0.039]	不検出[< 0.033]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.074]	不検出[< 0.048]	不検出[< 0.042]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.51]	不検出[< 0.059]	不検出[< 0.052]		
30	和歌山县(和歌山市) [Wakayama] [Wakayama]	不検出[< 0.36]	不検出[< 0.072]	不検出[< 0.069]		
31	鳥取県(東伯郡) [Tottori] [Touhaku]	不検出[< 0.12]	不検出[< 0.074]	不検出[< 0.069]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.18]	不検出[< 0.040]	不検出[< 0.030]		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.066]	不検出[< 0.041]	不検出[< 0.031]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.21]	不検出[< 0.063]	不検出[< 0.051]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.42]	不検出[< 0.073]	不検出[< 0.064]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.20]	不検出[< 0.062]	不検出[< 0.055]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.10]	不検出[< 0.067]	不検出[< 0.062]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.10]	不検出[< 0.040]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.21]	不検出[< 0.048]	不検出[< 0.041]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.18]	不検出[< 0.052]	不検出[< 0.042]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.10]	不検出[< 0.056]	不検出[< 0.048]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.38]	不検出[< 0.078]	不検出[< 0.067]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.10]	不検出[< 0.041]	不検出[< 0.030]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.28]	不検出[< 0.050]	不検出[< 0.042]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.10]	不検出[< 0.051]	不検出[< 0.045]		
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	不検出[< 0.43]	不検出[< 0.067]	不検出[< 0.057]		
47	沖縄県(うるま市) [Okinawa] [Urumea]	不検出[< 0.078]	不検出[< 0.038]	不検出[< 0.031]		

不検出 : Not detected activity

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month] 13

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R3年4月分 [Apr, 2021])

2021.5.31 [May 31, 2021], 2021.6.8追加 [Additional date on Jun 8, 2021]

MBq/km²・月 [MBq/km²·month]

	都道府県名 [Prefecture] [City]	月間降下物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.16]	不検出[< 0.057]	不検出[< 0.049]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.10]	不検出[< 0.057]	不検出[< 0.048]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 0.78]	不検出[< 0.070]	0.29		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.18]	不検出[< 0.055]	0.76		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.19]	不検出[< 0.058]	不検出[< 0.054]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.13]	不検出[< 0.060]	0.39		
7	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.39]	1.3	30		測定中であったが到着 [Measurements arrived though it had delayed.]
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 0.60]	不検出[< 0.12]	2.2		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.38]	不検出[< 0.072]	0.56		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.14]	不検出[< 0.086]	1.1		
11	埼玉県(比企郡) [Saitama] [Hiki]	不検出[< 0.11]	不検出[< 0.088]	0.15		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.064]	不検出[< 0.072]	0.32		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.077]	0.062	0.92		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	不検出[< 0.075]	不検出[< 0.039]	0.17		
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.17]	不検出[< 0.050]	0.048		
16	富山県(射水市) [Toyama] [Inizu]	不検出[< 0.095]	不検出[< 0.039]	0.046		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.43]	不検出[< 0.043]	不検出[< 0.034]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.21]	不検出[< 0.061]	不検出[< 0.052]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.35]	不検出[< 0.078]	不検出[< 0.072]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.21]	不検出[< 0.073]	不検出[< 0.071]		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.41]	不検出[< 0.063]	不検出[< 0.050]		測定中であったが到着 [Measurements arrived though it had delayed.]
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.22]	不検出[< 0.059]	不検出[< 0.045]		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.13]	不検出[< 0.049]	不検出[< 0.038]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.27]	不検出[< 0.058]	不検出[< 0.044]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.45]	不検出[< 0.052]	不検出[< 0.046]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.23]	不検出[< 0.042]	不検出[< 0.035]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.094]	不検出[< 0.040]	不検出[< 0.040]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.091]	不検出[< 0.048]	不検出[< 0.037]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.49]	不検出[< 0.058]	不検出[< 0.047]		
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	不検出[< 0.51]	不検出[< 0.050]	不検出[< 0.052]		測定中であったが到着 [Measurements arrived though it had delayed.]
31	鳥取県(東伯郡) [Tottori] [Touhaku]	不検出[< 0.19]	不検出[< 0.073]	不検出[< 0.064]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.17]	不検出[< 0.040]	不検出[< 0.030]		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.083]	不検出[< 0.042]	不検出[< 0.037]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.21]	不検出[< 0.063]	不検出[< 0.053]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.47]	不検出[< 0.075]	不検出[< 0.061]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.14]	不検出[< 0.061]	不検出[< 0.054]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.14]	不検出[< 0.079]	不検出[< 0.066]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.30]	不検出[< 0.040]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.38]	不検出[< 0.057]	不検出[< 0.049]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.19]	不検出[< 0.048]	不検出[< 0.043]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.18]	不検出[< 0.058]	不検出[< 0.047]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.56]	不検出[< 0.085]	不検出[< 0.081]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.10]	不検出[< 0.037]	不検出[< 0.035]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.44]	不検出[< 0.054]	不検出[< 0.047]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.14]	不検出[< 0.052]	0.062		
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	不検出[< 0.55]	不検出[< 0.072]	不検出[< 0.065]		
47	沖縄県(うるま市) [Okinawa] [Uruma]	不検出[< 0.10]	不検出[< 0.038]	不検出[< 0.034]		

不検出 : Not detected activity

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R3年5月分 [May, 2021])

2021.6.30 [Jun 30, 2021]

MBq/km²・月 [MBq/km²·month]


	都道府県名 [Prefecture] [City]	月間降下物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.11]	不検出[< 0.054]	不検出[< 0.047]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.12]	不検出[< 0.056]	不検出[< 0.052]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 0.50]	不検出[< 0.058]	0.26		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.13]	不検出[< 0.055]	0.67		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.25]	不検出[< 0.061]	不検出[< 0.058]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.097]	不検出[< 0.059]	0.34		
7	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.29]	0.60	14		
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 0.35]	不検出[< 0.12]	0.45		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.54]	不検出[< 0.060]	0.28		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.18]	不検出[< 0.070]	0.60		
11	埼玉県(比企郡) [Saitama] [Hikiri]	不検出[< 0.17]	不検出[< 0.089]	0.11		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.056]	不検出[< 0.060]	0.34		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.067]	不検出[< 0.038]	0.20		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	不検出[< 0.050]	不検出[< 0.041]	0.054		
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.12]	不検出[< 0.046]	不検出[< 0.037]		
16	富山県(射水市) [Toyama] [Inuzu]	不検出[< 0.069]	不検出[< 0.035]	不検出[< 0.032]		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.39]	不検出[< 0.046]	不検出[< 0.034]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.13]	不検出[< 0.065]	不検出[< 0.044]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.33]	不検出[< 0.075]	不検出[< 0.072]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.16]	不検出[< 0.072]	不検出[< 0.064]		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.13]	不検出[< 0.067]	不検出[< 0.057]		
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.14]	不検出[< 0.061]	不検出[< 0.050]		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.16]	不検出[< 0.046]	不検出[< 0.036]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.13]	不検出[< 0.047]	不検出[< 0.042]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.30]	不検出[< 0.053]	不検出[< 0.043]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.17]	不検出[< 0.045]	不検出[< 0.037]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.10]	不検出[< 0.039]	不検出[< 0.037]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.061]	不検出[< 0.048]	不検出[< 0.040]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.44]	不検出[< 0.056]	不検出[< 0.052]		
30	和歌山県(和歌山市) [Wakayama] [Wakayama]					現在測定中 [Under Measurement]
31	鳥取県(東伯郡) [Tottori] [Touhaku]	不検出[< 0.11]	不検出[< 0.074]	不検出[< 0.064]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.29]	不検出[< 0.042]	0.036		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.076]	不検出[< 0.038]	不検出[< 0.035]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.19]	不検出[< 0.059]	不検出[< 0.052]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.53]	不検出[< 0.076]	不検出[< 0.063]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.22]	不検出[< 0.061]	不検出[< 0.052]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.15]	不検出[< 0.075]	不検出[< 0.062]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.16]	不検出[< 0.050]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.13]	不検出[< 0.054]	不検出[< 0.047]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.12]	不検出[< 0.056]	不検出[< 0.043]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.10]	不検出[< 0.058]	不検出[< 0.047]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.27]	不検出[< 0.086]	不検出[< 0.057]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.14]	不検出[< 0.037]	不検出[< 0.031]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.50]	不検出[< 0.047]	不検出[< 0.042]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.11]	不検出[< 0.047]	不検出[< 0.041]		
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	不検出[< 0.60]	不検出[< 0.070]	不検出[< 0.060]		
47	沖縄県(うるま市) [Okinawa] [Uruma]	不検出[< 0.065]	不検出[< 0.039]	不検出[< 0.036]		

不検出 : Not detected activity

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month] 15

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]



福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス株の発表をもとに作成^{※1})

試料採取日:令和3年5月24日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP

(Based on the press release of TEPCO^{※1})

Sampling Date: May 24, 2021

令和3年6月29日
Jun 29, 2021

Cs-134	Cs-137	H-3	全 α (gross α)	全 β ^{※3} (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L) (ND ^{※2} : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							

T-1	2021/2/8 7:56	0.0041	0.089					O
	2021/2/15 7:50	0.0031	0.071					O
	2021/2/22 8:00	0.012	0.27					O
	2021/3/1 8:10	0.0056	0.13	ND(0.84)	ND(1.8)	13	0.0090	O
	2021/3/8 8:10	0.0033	0.076					O
	2021/3/15 7:55	0.0034	0.073					O
	2021/3/24 8:10	0.0037	0.095					O
	2021/3/31 8:35	0.012	0.29					O
	2021/4/7 9:27	0.0033	0.078	ND(0.84)	ND(2.1)	12	0.0066 ND(0.0000051)	ND(0.0000049)
	2021/4/12 8:20	0.0025	0.052					O
	2021/4/19 9:00	0.014	0.31					O
	2021/4/26 8:51	0.0059	0.14					O
	2021/5/3 9:11	0.0015	0.039		1.2 ND(1.9)	9.7	0.0056	O
	2021/5/10 8:10	0.0045	0.12					O
	2021/5/19 8:15	0.0050	0.13					O
	2021/5/24 8:50	0.0069	0.16					O

T-2	2021/2/8 6:57	0.0014	0.034					O
	2021/2/15 7:10	0.0037	0.082					O
	2021/2/22 7:00	0.0017	0.040					O
	2021/3/1 7:00	0.0035	0.078	ND(0.83)	ND(1.8)	10	0.016	O
	2021/3/8 7:15	0.0037	0.090					O
	2021/3/15 7:00	0.0024	0.056					O
	2021/3/24 7:10	0.0020	0.052					O
	2021/3/31 7:27	0.0046	0.10					O
	2021/4/7 8:10	0.0057	0.15	ND(0.84)	ND(2.1)	12	0.060 ND(0.0000049)	0.0000081
	2021/4/12 7:00	0.0040	0.092					O
	2021/4/19 7:55	0.0022	0.061					O
	2021/4/26 7:27	0.0028	0.060					O
	2021/5/3 7:40	0.0035	0.089	0.98	ND(1.9)	12	0.23	O
	2021/5/10 7:10	0.0015	0.032					O
	2021/5/19 7:15	0.0072	0.19					O
	2021/5/24 7:10	ND(0.0012)	0.031					O

[O: 上層(表層~2m) Outer Layer]

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.

※1 東京電力ホールディングス株の発表(<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limits.

※3 分析方法: 蒸発乾固法

※3 Analytical method: Evaporation drying method

参考



reference

福島第一原発事故以前の海水のモニタリング結果:

(<https://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(<https://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)



福島第一原子力発電所近傍の海域の海水のモニタリング結果
Readings of Sea Area Monitoring near Fukushima Dai-ichi NPP

試料採取日：令和3年5月18日、19日
(Sampling Date: May 18, 19, 2021)

令和3年6月29日
Jun 29, 2021

原 子 力 規 制 委 員 会
Nuclear Regulation Authority (NRA)

		Cs-134	Cs-137	Sr-90	H-3
採取日 Sampling Date	採取深度 Sampling Depth (m)	放射性物質濃度(検出下限値) (Bq/L) (※ ND: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (※ ND: Not Detectable)			
M-101	2020/6/13	0.5	0.00044	0.0084	0.00091
	2020/7/9	0.5	0.00059	0.014	0.0022
	2020/8/6	0.5	0.00070	0.016	0.00077
	2020/9/11	0.5	ND(0.00026)	0.0030	0.00078
	2020/10/9	0.5	0.00050	0.011	0.00093
	2020/11/12	0.5	0.00038	0.0097	0.00086
	2020/12/4	0.5	0.00055	0.0096	0.00079
	2021/1/14	0.5	ND(0.00028)	0.0087	0.00073
	2021/2/5	0.5	0.00095	0.015	0.00077
	2021/3/5	0.5	0.0028	0.061	0.011
	2021/4/22	0.5	0.00056	0.013	
	2021/5/19	0.5	ND(0.00045)	0.0098	
M-102	2020/6/12	0.5	0.0011	0.020	0.00094
	2020/7/10	0.5	0.00065	0.012	0.00091
	2020/8/7	0.5	0.00051	0.011	0.00079
	2020/9/10	0.5	ND(0.00029)	0.0041	0.00082
	2020/10/8	0.5	0.0017	0.030	0.00073
	2020/11/13	0.5	ND(0.00029)	0.0071	0.00096
	2020/12/3	0.5	0.00061	0.014	0.00098
	2021/1/15	0.5	0.00048	0.010	0.00098
	2021/2/4	0.5	0.0013	0.032	0.00094
	2021/3/4	0.5	0.0011	0.027	0.0052
	2021/4/24	0.5	0.00073	0.020	
	2021/5/18	0.5	0.00086	0.022	
M-103	2020/6/13	0.5	ND(0.00025)	0.0042	0.00089
	2020/7/9	0.5	0.0010	0.020	0.00084
	2020/8/6	0.5	0.00044	0.0091	0.00087
	2020/9/11	0.5	ND(0.00026)	0.0019	0.00079
	2020/10/9	0.5	0.00054	0.012	0.00093
	2020/11/12	0.5	ND(0.00031)	0.0059	0.00068
	2020/12/4	0.5	0.00035	0.0062	0.00091
	2021/1/14	0.5	0.00049	0.013	0.00095
	2021/2/5	0.5	0.00038	0.0089	0.00080
	2021/3/5	0.5	0.00071	0.016	0.0014
	2021/4/22	0.5	ND(0.00047)	0.010	
	2021/5/19	0.5	ND(0.00049)	0.0068	
M-104	2020/6/12	0.5	0.00093	0.019	0.0014
	2020/7/10	0.5	ND(0.00029)	0.0069	0.00083
	2020/8/7	0.5	0.00050	0.0097	0.00089
	2020/9/10	0.5	ND(0.00026)	0.0047	0.00092
	2020/10/8	0.5	ND(0.00027)	0.0072	0.00071
	2020/11/13	0.5	0.00033	0.0074	0.00079
	2020/12/3	0.5	ND(0.00027)	0.0048	0.00071
	2021/1/15	0.5	ND(0.00030)	0.0036	0.00087
	2021/2/4	0.5	0.00041	0.011	0.00085
	2021/3/4	0.5	0.00062	0.011	0.00068
	2021/4/24	0.5	ND(0.00051)	0.0098	
	2021/5/18	0.5	ND(0.00049)	0.0058	

* NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。



* ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limits.

*原子力規制委員会の委託事業により、(公財)海洋生物環境研究所が採取した試料を用いて、(公財)海洋生物環境研究所[Cs,H-3]、(株)KANSOテクノス[Sr]が分析。

* Analysis by Marine Ecology Research Institute (MERI)[Cs,H-3] and KANSO Co.,Ltd.[Sr] of the samples collected by MERI at the request of Nuclear Regulation Authority (NRA).

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.



福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1)})

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1)})



採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND ^{※2} :不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							
南放水口付近 F-P01	2020/2/4	0.021	0.35 ND	0.03	0.0013	ND	0.000011
	2020/3/12	ND	0.22 ND	0.03	0.0011	ND	ND
	2020/4/22	0.004	0.067 ND	0.02	0.0022	ND	ND
	2020/5/14	ND	0.028 ND	0.04	0.0006	ND	ND
	2020/6/2	0.002	0.025 ND	0.04	0.0008	ND	0.000010
	2020/7/3	ND	0.005 ND	0.02	0.0007	ND	ND
	2020/8/6	ND	0.021 ND	0.02	0.0009	ND	ND
	2020/9/11	ND	0.011 ND	0.03	0.0009	ND	0.000008
	2020/10/20	ND	0.012 ND	0.02	0.0010	ND	0.000006
	2020/11/12	ND	0.012 ND	0.04	0.0007	ND	ND
	2020/12/4	ND	0.031 ND	0.02	0.0009	ND	ND
	2021/1/7	ND	0.016 ND	0.05	0.0006	ND	ND
	2021/2/12	ND	0.016 ND	0.03	0.0010	ND	0.000013
	2021/3/4	ND	0.028 ND	0.03	0.0024	ND	0.000011
北放水口付近 F-P02	2020/2/4	0.004	0.072 ND	0.04	0.0007	ND	0.000011
	2020/3/12	ND	0.020 ND	0.02	0.0013	ND	0.000007
	2020/4/22	ND	0.017 ND	0.03	0.0011	ND	ND
	2020/5/14	ND	0.005 ND	0.03	0.0011	ND	0.000006
	2020/6/2	ND	0.005 ND	0.03	0.0006	ND	ND
	2020/7/3	ND	0.005 ND	ND	ND	ND	ND
	2020/8/6	ND	0.007 ND	0.02	0.0010	ND	ND
	2020/9/11	ND	0.004 ND	0.03	0.0007	ND	ND
	2020/10/20	ND	0.038 ND	0.02	0.0012	ND	ND
	2020/11/12	ND	0.015 ND	0.02	0.0010	ND	ND
	2020/12/4	ND	0.017 ND	0.02	0.0008	ND	ND
	2021/1/7	ND	0.009 ND	0.03	0.0009	ND	0.000011
	2021/2/12	ND	0.013 ND	0.04	0.0009	ND	0.000009
	2021/3/4	0.003	0.061 ND	0.04	0.0027	ND	0.000017
取水口付近 F-P03	2020/2/4	0.003	0.046 ND	0.03	0.0010	ND	0.000010
	2020/3/12	ND	0.026 ND	0.03	0.0013	ND	ND
	2020/4/22	ND	0.021 ND	0.04	0.0009	ND	0.000007
	2020/5/14	0.003	0.054 0.39	0.03	0.0029	ND	ND
	2020/6/2	0.004	0.065 ND	0.02	0.0025	ND	0.000009
	2020/7/3	ND	0.006 ND	0.02	0.0006	ND	ND
	2020/8/6	ND	0.009 ND	0.03	0.0006	ND	ND
	2020/9/11	ND	0.005 ND	0.03	0.0010	ND	ND
	2020/10/20	ND	0.011 ND	0.02	0.0009	ND	ND
	2020/11/12	ND	0.017 ND	0.03	0.0008	ND	ND
	2020/12/4	ND	0.032 ND	0.03	0.0009	ND	ND
	2021/1/7	0.004	0.056 ND	0.04	0.0020	ND	ND
	2021/2/12	ND	0.030 ND	0.04	0.0011	ND	0.000014
	2021/3/4	0.003	0.098 ND	0.03	0.0072	ND	0.000018
第一(発)沖合 2km F-P04	2020/2/4	ND	0.030 ND	0.03	0.0009	ND	ND
	2020/3/12	ND	0.014 ND	0.02	0.0011	ND	ND
	2020/4/22	ND	0.022 ND	0.02	0.0011	ND	ND
	2020/5/14	ND	0.005 ND	0.02	0.0008	ND	ND
	2020/6/2	ND	0.004 ND	0.02	0.0007	ND	0.000010
	2020/7/3	ND	0.004 ND	0.02	0.0006	ND	0.000011
	2020/8/6	ND	0.011 ND	0.02	0.0007	ND	ND
	2020/9/11	ND	0.002 ND	0.02	0.0008	ND	ND
	2020/10/20	ND	0.004 ND	0.02	0.0006	ND	ND
	2020/11/12	ND	0.003 ND	0.03	0.0009	ND	ND
	2020/12/4	ND	0.006 ND	0.02	0.0005	ND	ND
	2021/1/7	ND	0.006 ND	0.02	0.0009	ND	ND
	2021/2/12	ND	0.002 ND	0.04	0.0006	ND	ND
	2021/3/4	ND	0.015 ND	0.02	0.0009	ND	ND

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)


※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection



福島第一原子力発電所近傍海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の **X** は東京電力ホールディングス株福島第一原子力発電所を示す。

* The legend **X** indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス株の発表をもとに作成^{※1})

試料採取日:令和3年5月18日～20日、24日、25日

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP

(Based on the press release of TEPCO^{※1})

Sampling Date: May 18 – 20, 24, 25, 2021

令和3年6月29日
Jun 29, 2021

Cs-134	Cs-137	H-3	全 α (gross α)	全 β ^{※3} (gross β)	Sr-90	Pu-238	Pu-239+240
--------	--------	-----	---------------------------------	---	-------	--------	------------

放射性物質濃度(検出下限値) (Bq/L) (ND^{※2}: 不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND^{※2}: Not Detectable)

T-3	2021/2/9 10:50	ND(0.0013)	0.013				
	2021/2/16 14:20	0.0017	0.038	ND(0.31)	ND(13)		
	2021/2/24 14:00	ND(0.0012)	0.014				
	2021/3/2 13:50	ND(0.0013)	0.022	ND(0.27)	ND(13)		
	2021/3/9 14:05	ND(0.0011)	0.022				
	2021/3/16 10:25	ND(0.0013)	0.022	ND(0.30)	ND(14)		
	2021/3/23 14:15	ND(0.0012)	0.015				
	2021/3/30 14:05	ND(0.0011)	0.021				
	2021/4/6 14:55	0.0022	0.038	ND(0.31)	ND(12)		
	2021/4/15 14:05	ND(0.0014)	0.020				
	2021/4/20 10:20	ND(0.0011)	0.019	ND(0.29)	ND(13)		
	2021/4/27 14:00	0.0022	0.039				
	2021/5/6 11:20	0.0013	0.024	ND(0.30)	ND(13)		
	2021/5/11 13:50	ND(0.0013)	0.019				
	2021/5/18 14:55	ND(0.0014)	0.025	ND(0.32)	ND(13)		
	2021/5/25 14:10	ND(0.0012)	0.017				
T-4	2021/2/9 8:50	ND(0.0014)	0.023				
	2021/2/16 8:20	0.0016	0.029				
	2021/2/24 9:40	ND(0.0014)	0.011				
	2021/3/2 8:30	ND(0.0014)	0.024				
	2021/3/9 8:25	ND(0.0012)	0.022				
	2021/3/16 8:35	ND(0.0011)	0.020				
	2021/3/23 8:35	ND(0.0012)	0.014				
	2021/3/30 8:30	0.0015	0.032				
	2021/4/6 8:35	0.0017	0.040				
	2021/4/15 8:25	ND(0.0014)	0.028				
	2021/4/20 8:30	ND(0.0011)	0.017				
	2021/4/27 8:25	0.0017	0.039				
	2021/5/6 8:30	ND(0.0013)	0.016				
	2021/5/11 8:15	ND(0.0012)	0.0098				
	2021/5/18 9:50	ND(0.0013)	0.022				
	2021/5/25 8:20	ND(0.0011)	0.0086				
T-6	2021/2/9 14:20	ND(0.0011)	0.013				
	2021/2/16 10:40	0.0022	0.043	ND(0.31)	14		
	2021/2/24 11:50	ND(0.0014)	0.017				
	2021/3/2 10:45	0.0020	0.045	ND(0.27)	ND(13)		
	2021/3/9 10:30	ND(0.0012)	0.024				
	2021/3/16 13:40	ND(0.0013)	0.020	ND(0.30)	ND(14)		
	2021/3/23 10:50	ND(0.0011)	0.020				
	2021/3/30 10:25	0.0013	0.031				
	2021/4/6 10:20	0.0022	0.045	0.43	ND(12)		
	2021/4/15 10:30	ND(0.0013)	0.025				
	2021/4/20 13:40	ND(0.0013)	0.025	0.34	ND(12)		
	2021/4/27 11:15	ND(0.0013)	0.020				
	2021/5/6 14:10	ND(0.0013)	0.017	ND(0.30)	ND(13)		
	2021/5/11 10:30	ND(0.0013)	0.012				
	2021/5/18 11:55	ND(0.0014)	0.031	0.34	ND(13)		
	2021/5/25 10:50	ND(0.0012)	0.0072				

O: 上層(表層～2m) Outer Layer

* 太字下線データが今回追加分。 * Boldface and underlined readings are new.

※1 東京電力ホールディングス株の発表(<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limit:

※3 分析方法:蒸発乾固法 ※3 Analytical method: Evaporation drying method

参考

reference

福島第一原発事故以前の海水のモニタリング結果:

(<https://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(<https://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Cs-134	Cs-137	H-3	全 α (gross α)	全 β ^{※3} (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L) (ND ^{※2} :不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							

T-5	2021/2/10 8:09	ND(0.0011) ND(0.0011)	0.0020 0.0029						O L
	2021/2/19 7:39	ND(0.0014) ND(0.0012)	0.0026 0.0023	ND(0.32)	ND(12)				O L
	2021/2/22 8:13	ND(0.0011) ND(0.0012)	0.0014 0.0028						O L
	2021/3/1 8:12	ND(0.0014) ND(0.0013)	0.0026 0.0020	ND(0.28)	ND(1.8)	ND(13)	ND(0.00075)		O L
	2021/3/9 7:40	ND(0.0014) ND(0.0013)	0.0030 0.0028						O L
	2021/3/15 8:23	ND(0.0012) ND(0.0013)	0.0027 0.0033	ND(0.29)	ND(15)				O L
	2021/3/23 7:09	ND(0.0014) ND(0.0010)	0.0022 0.0021						O L
	2021/4/1 8:43	ND(0.0011) ND(0.0014)	0.0036 0.0030	ND(0.31)	ND(1.9)	ND(15)	ND(0.00071)		O L
	採取中止(No samples)								O L
	2021/4/12 7:06	ND(0.0014) ND(0.0010)	0.0028 0.0028	ND(0.32)		ND(14)		ND(0.0000078)	ND(0.0000074)
T-D1	2021/4/21 7:19	ND(0.0010) ND(0.0012)	0.0015 0.0025						O L
	2021/4/27 7:05	ND(0.0014) ND(0.0013)	0.0017 0.0023						O L
	2021/5/6 7:11	ND(0.0014) ND(0.0010)	0.0017 0.0023	ND(0.32)		17			O L
	2021/5/10 7:08	ND(0.0014) ND(0.0014)	0.0028 0.0020						O L
	2021/5/20 7:09	ND(0.0012) ND(0.0012)	0.0022 0.0014	ND(0.32)	ND(13)				O L
	2021/5/24 8:16	ND(0.0013) ND(0.0014)	0.0024 0.0019						O L
	2021/2/10 8:10	ND(0.0014) ND(0.0014)	0.0079 0.0075						O L
	2021/2/17 7:55	ND(0.00094) ND(0.0011)	0.012 0.012	0.46	ND(12)				O L
	2021/2/22 7:59	ND(0.0013) ND(0.0014)	0.0086 0.018						O L
	2021/3/1 8:05	ND(0.0012) ND(0.0014)	0.0069 0.0079	ND(0.31)	ND(2.2)	16	0.0011		O L
T-D2	2021/3/8 7:52	ND(0.0011) ND(0.0013)	0.0049 0.0043						O L
	2021/3/15 7:59	ND(0.0012) ND(0.0012)	0.0031 0.0041	ND(0.29)	ND(15)				O L
	2021/3/24 7:55	ND(0.0013) ND(0.0014)	0.0037 0.0042						O L
	2021/4/1 8:09	ND(0.0012) ND(0.0013)	0.0036 0.0049	ND(0.29)	ND(1.9)	ND(15)	ND(0.00069)		O L
	2021/4/8 7:41	ND(0.0013) ND(0.0013)	0.0030 0.0051				ND(0.0000058)	ND(0.0000060)	O L
	2021/4/12 7:45	ND(0.0010) ND(0.0011)	0.0037 0.0046	ND(0.32)	ND(14)				O L
	2021/4/20 7:42	ND(0.0011) ND(0.0013)	0.0088 0.0082						O L
	2021/4/27 7:39	ND(0.0012) ND(0.0012)	0.0036 0.0064						O L
	2021/5/6 8:01	ND(0.0014) ND(0.0011)	0.0073 0.0088	ND(0.29)	ND(13)				O L
	2021/5/10 7:48	ND(0.0012) ND(0.0014)	0.0042 0.0056						O L
	2021/5/19 7:58	ND(0.0012) ND(0.0013)	0.0038 0.0083	ND(0.29)		15			O L
	2021/5/24 7:54	ND(0.0010) ND(0.0010)	0.0048 0.0049						O L

[O:上層(表層~2m) Outer Layer
L:下層(海底より2~3m上) Lower Layer]

Cs-134	Cs-137	H-3	全 α (gross α)	全 β ^{※3} (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND ^{※2} :不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							

T-D5	測定日時	Cs-134		Cs-137		H-3		全 α (gross α)		全 β ^{※3} (gross β)		Sr-90		Pu-238		Pu-239+240		
		ND	0.0011	ND	0.0032	ND	0.28	ND	12	ND	16	ND	0.0011	ND	ND	ND	ND	ND
	2021/2/10 8:40	ND(0.0011)	0.0016														O	L
		ND(0.0011)	0.0032														O	L
	2021/2/17 8:24	ND(0.0012)	0.0041	ND(0.28)		ND(12)											O	L
		ND(0.0012)	0.0040														O	L
	2021/2/22 8:24	ND(0.0013)	0.0036														O	L
		ND(0.0012)	0.0043													O	L	
	2021/3/1 8:40	ND(0.0014)	0.0039	ND(0.31)	ND(2.2)	ND(12)	16	ND	0.0011							O	L	
		ND(0.0014)	0.0033													O	L	
	2021/3/8 8:15	ND(0.0011)	0.0040													O	L	
		ND(0.0013)	0.0062													O	L	
	2021/3/15 8:27	ND(0.0013)	0.0069	ND(0.29)		ND(15)										O	L	
		ND(0.0014)	0.0042													O	L	
	2021/3/24 8:23	ND(0.0013)	0.0045													O	L	
		ND(0.0014)	0.0049													O	L	
	2021/4/1 8:45	ND(0.0013)	0.0064	ND(0.28)	ND(1.9)	ND(15)	ND	0.00092								O	L	
		ND(0.0014)	0.0048													O	L	
	2021/4/8 8:10	ND(0.0013)	0.0041										ND(0.0000063)	ND	0.0000066	O	L	
		ND(0.0014)	0.0070													O	L	
	2021/4/12 8:11	ND(0.0011)	0.0051	ND(0.32)		ND(14)										O	L	
		ND(0.0012)	0.0032													O	L	
	2021/4/20 8:04	ND(0.0012)	0.0065													O	L	
		ND(0.0013)	0.0046													O	L	
	2021/4/27 8:05	ND(0.0014)	0.0051													O	L	
		ND(0.0012)	0.0050													O	L	
	2021/5/6 8:40	ND(0.0012)	0.0074		0.33	ND(13)										O	L	
		ND(0.0012)	0.0035													O	L	
	2021/5/10 8:12	ND(0.0014)	0.0042													O	L	
		ND(0.0011)	0.0045													O	L	
	2021/5/19 8:25	ND(0.0012)	0.0049		0.35	ND(12)										O	L	
		ND(0.0014)	0.0091													O	L	
	2021/5/24 8:21	ND(0.0012)	0.0036													O	L	
		ND(0.0012)	0.0042													O	L	
T-D9	測定日時	Cs-134		Cs-137		H-3		全 α (gross α)		全 β ^{※3} (gross β)		Sr-90		Pu-238		Pu-239+240		
		ND	0.0012	ND	0.0024	ND	0.0024	ND	0.29	ND(12)	ND	ND	ND	ND	ND	ND	O	L
	2021/2/10 9:13	ND(0.0012)	0.0024														O	L
		ND(0.0011)	0.0024													O	L	
	2021/2/19 8:33	ND(0.0011)	0.0029		0.39	ND(12)										O	L	
		ND(0.0012)	0.0030													O	L	
	2021/2/22 9:32	ND(0.0013)	0.0035													O	L	
		ND(0.0014)	0.0029													O	L	
	2021/3/1 9:21	ND(0.0013)	0.0034	ND(0.27)	ND(1.8)	ND(14)	16	ND	0.0014							O	L	
		ND(0.0012)	0.0040													O	L	
	2021/3/9 8:36	ND(0.0012)	0.0040													O	L	
		ND(0.0013)	0.0057													O	L	
	2021/3/15 10:15	ND(0.0011)	0.0049	ND(0.29)		ND(15)										O	L	
		ND(0.0014)	0.0037													O	L	
	2021/3/23 7:57	ND(0.0012)	0.0095													O	L	
		ND(0.0013)	0.0083													O	L	
	2021/4/1 7:59	ND(0.0012)	0.0069	ND(0.31)	ND(1.9)	ND(15)	ND	0.00072								O	L	
		ND(0.0013)	0.0079													O	L	
	採取中止(No samples)																	
T-D9	測定日時	Cs-134		Cs-137		H-3		全 α (gross α)		全 β ^{※3} (gross β)		Sr-90		Pu-238		Pu-239+240		
		ND(0.0012)	0.0062	ND(0.32)		ND(14)		ND	0.0000075	ND	0.0000079	O					O	L
	2021/4/12 8:02	ND(0.0013)	0.0044													O	L	
		ND(0.0013)	0.0035													O	L	
	2021/4/21 8:05	ND(0.0012)	0.0039													O	L	
		ND(0.0012)	0.0064													O	L	
	2021/4/27 7:54	ND(0.0013)	0.0056													O	L	
		ND(0.0012)	0.0061		0.44	ND(13)										O	L	
	2021/5/6 8:08	ND(0.0014)	0.0043													O	L	
		ND(0.0011)	0.0056													O	L	
	2021/5/10 8:05	ND(0.0012)	0.0038	ND(0.32)		ND(13)										O	L	
		ND(0.0012)	0.011													O	L	
	2021/5/20 7:58	ND(0.0013)	0.0064													O	L	
		ND(0.0013)	0.0057													O	L	




[O:上層(表層~2m) Outer Layer
[L:下層(海底より2~3m上) Lower Layer

	Cs-134	Cs-137	
放射性物質濃度(検出下限値)(Bq/L) (ND ^{※2} :不検出)			
Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)			

T-11	2021/2/10 9:55	ND(0.0012) ND(0.0012)	0.0025 0.0031	O L
	2021/2/19 9:04	ND(0.0013) ND(0.0012)	0.0022 0.0032	O L
	2021/2/22 10:18	ND(0.0012) ND(0.0012)	0.0043 0.0043	O L
	2021/3/1 10:11	ND(0.00099) ND(0.0012)	0.0031 0.0035	O L
	2021/3/9 9:06	ND(0.0013) ND(0.0014)	0.0068 0.012	O L
	2021/3/15 10:42	ND(0.0014) ND(0.0013)	0.019 0.0058	O L
	2021/3/23 8:24	ND(0.0013) ND(0.0013)	0.012 0.014	O L
	2021/4/1 7:14	ND(0.00097) ND(0.0012)	0.0094 0.011	O L
	採取中止(No samples)			O L
	2021/4/12 8:35	ND(0.0012) ND(0.0014)	0.0054 0.0045	O L
	2021/4/21 8:35	ND(0.0011) ND(0.0012)	0.0058 0.0050	O L
	2021/4/27 8:21	ND(0.0013) ND(0.0014)	0.0034 0.017	O L
	2021/5/6 8:44	ND(0.0012) ND(0.0012)	0.0052 0.0029	O L
	2021/5/10 8:45	ND(0.00099) ND(0.0012)	0.0044 0.0046	O L
	2021/5/20 8:29	ND(0.0013) ND(0.0014)	0.0099 0.0078	O L
	2021/5/24 10:06	ND(0.0014) ND(0.0013)	0.0070 0.0048	O L

T-14	2021/2/10 7:48	ND(0.0015) ND(0.0015)	0.0036 0.0031	O L
	2021/2/17 7:32	ND(0.0015) ND(0.0016)	0.019 0.018	O L
	2021/2/22 7:40	ND(0.0015) ND(0.0014)	0.0076 0.0091	O L
	2021/3/1 7:39	ND(0.0014) ND(0.0017)	0.0070 0.020	O L
	2021/3/8 7:33	ND(0.0014) ND(0.0014)	0.0030 0.0038	O L
	2021/3/15 7:39	ND(0.0013) ND(0.0013)	0.0042 0.0035	O L
	2021/3/24 7:34	ND(0.0014) ND(0.0015)	0.0039 0.0039	O L
	2021/4/1 7:45	ND(0.0013) ND(0.0012)	0.0029 0.0092	O L
	2021/4/8 7:22	ND(0.0013) ND(0.0015)	0.0031 0.0025	O L
	2021/4/12 7:27	ND(0.0014) ND(0.0014)	0.0032 0.0037	O L
	2021/4/20 7:24	ND(0.0012) ND(0.0014)	0.0054 0.0099	O L
	2021/4/27 7:22	ND(0.0015) ND(0.0014)	0.0032 0.0052	O L
	2021/5/6 7:34	ND(0.0016) ND(0.0015)	0.0027 0.0037	O L
	2021/5/10 7:30	ND(0.0015) ND(0.0014)	0.0029 0.0034	O L
	2021/5/19 7:38	ND(0.0012) ND(0.0015)	0.0044 0.0093	O L
	2021/5/24 7:33	ND(0.0016) ND(0.0014)	0.0041 0.0041	O L

[O:上層(表層~2m)
Outer Layer
[L:下層(海底より2~3m上)
Lower Layer]



Concentration ranges of Cs-137 in sea-water around the Fukushima Daiichi NPS surveyed by TEPCO

福島第一原子力発電所沿岸の海域モニタリング結果

Readings of Sea Area Monitoring around Fukushima Dai-ichi NPP

試料採取日：令和3年5月18日、19日
(Sampling Date: May 18, 19, 2021)

令和3年6月29日

Jun 29, 2021

原 子 力 規 制 委 員 会

Nuclear Regulation Authority (NRA)

		Cs-134	Cs-137	Sr-90	H-3
採取日 Sampling Date	採取深度 Sampling Depth (m)	放射性物質濃度 (検出下限値) (Bq/L) (※ ND : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (※ ND : Not Detectable)			
T-D1	2020/6/13	0.5	ND(0.00030)	0.0035	0.00065
	2020/7/9	0.5	0.00082	0.014	0.00081
	2020/8/6	0.5	ND(0.00027)	0.0030	0.00068
	2020/9/11	0.5	ND(0.00027)	0.0014	0.00066
	2020/10/9	0.5	ND(0.00028)	0.0037	0.00078
	2020/11/12	0.5	ND(0.00029)	0.0029	0.0010
	2020/12/4	0.5	ND(0.00029)	0.0036	0.00082
	2021/1/14	0.5	ND(0.00026)	0.0037	0.00070
	2021/2/5	0.5	0.00043	0.0079	0.00075
	2021/3/5	0.5	0.00044	0.010	0.0013
	2021/4/22	0.5	ND(0.00051)	0.0077	
	2021/5/19	0.5	ND(0.00047)	0.0037	
T-D5	2020/6/12	0.5	0.00033	0.0069	0.00053
	2020/7/10	0.5	ND(0.00028)	0.0036	0.00086
	2020/8/7	0.5	0.00032	0.0087	0.00077
	2020/9/10	0.5	ND(0.00024)	0.0031	0.00071
	2020/10/8	0.5	ND(0.00028)	0.0042	0.00073
	2020/11/13	0.5	ND(0.00028)	0.0026	0.00069
	2020/12/3	0.5	ND(0.00027)	0.0032	0.00070
	2021/1/15	0.5	ND(0.00025)	0.0033	0.00084
	2021/2/4	0.5	ND(0.00061)	0.0020	0.00066
	2021/3/4	0.5	ND(0.00028)	0.0063	0.00069
	2021/4/24	0.5	ND(0.00053)	0.0065	
	2021/5/18	0.5	ND(0.00051)	0.0048	
T-D9	2020/6/12	0.5	0.00042	0.0085	0.0010
	2020/7/10	0.5	ND(0.00027)	0.0041	0.00088
	2020/8/7	0.5	ND(0.00028)	0.0027	0.00071
	2020/9/10	0.5	ND(0.00027)	0.0034	0.00078
	2020/10/8	0.5	ND(0.00029)	0.0061	0.00075
	2020/11/13	0.5	ND(0.00025)	0.0027	0.00076
	2020/12/3	0.5	ND(0.00027)	0.0027	0.00095
	2021/1/15	0.5	ND(0.00030)	0.0029	0.00083
	2021/2/4	0.5	ND(0.00058)	0.0027	0.00068
	2021/3/4	0.5	ND(0.00029)	0.0050	0.00079
	2021/4/24	0.5	ND(0.00053)	0.0026	
	2021/5/18	0.5	ND(0.00048)	0.0036	

※ NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。




※ ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limits.

*原子力規制委員会の委託事業により、(公財)海洋生物環境研究所が採取した試料を用いて、(公財)海洋生物環境研究所[Cs,H-3]、(株)KANSOテクノス[Sr]が分析。

* Analysis by Marine Ecology Research Institute (MERI)[Cs,H-3] and KANSO Co.,Ltd.[Sr] of the samples collected by MERI at the request of Nuclear Regulation Authority (NRA).

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.



Concentration ranges of Cs-137 in sea-water around the Fukushima Daiichi NPS surveyed by the NRA

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1})

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1})

採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値) (Bq/L) (ND ^{※2} : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							



夫沢・熊川沖 2km (大熊 町) (F-P05)	2020/2/4	ND	0.030	ND	0.04	0.0010	ND	ND
	2020/3/12	ND	0.014	ND	0.03	0.0011	ND	0.000008
	2020/4/22	ND	0.022	ND	0.02	0.0011	ND	ND
	2020/5/14	ND	0.005	ND	0.02	0.0008	ND	ND
	2020/6/2	ND	0.004	ND	0.02	0.0007	ND	0.000010
	2020/7/3	ND	0.004	ND	ND	0.0011	ND	ND
	2020/8/6	ND	0.010	ND	0.02	0.0007	ND	ND
	2020/9/11	ND	0.004	ND	0.04	0.0010	ND	ND
	2020/10/20	ND	0.005	ND	0.02	0.0008	ND	ND
	2020/11/12	ND	0.004	ND	0.03	0.0011	ND	ND
	2020/12/4	ND	0.006	ND	0.03	0.0008	ND	ND
	2021/1/7	ND	0.004	ND	0.03	0.0010	ND	ND
	2021/2/12	ND	0.008	ND	0.03	0.0006	ND	0.000009
	2021/3/4	ND	0.010	ND	ND	0.0009	ND	ND
前田川沖2km (双葉町) (F-P06)	2020/2/4	ND	0.021	ND	0.02	0.0005	ND	ND
	2020/3/12	ND	0.020	ND	0.04	0.0013	ND	0.000008
	2020/4/22	ND	0.011	ND	0.03	0.0010	ND	ND
	2020/5/14	ND	0.004	ND	0.03	0.0007	ND	ND
	2020/6/2	ND	0.005	ND	0.02	0.0007	ND	ND
	2020/7/3	ND	0.003	ND	0.02	0.0006	ND	ND
	2020/8/6	ND	0.003	ND	0.02	0.0008	ND	ND
	2020/9/11	ND	0.002	ND	0.04	0.0009	ND	ND
	2020/10/20	ND	0.009	ND	0.03	0.0012	ND	ND
	2020/11/12	ND	0.005	ND	0.03	0.0008	ND	ND
	2020/12/4	ND	0.005	ND	0.03	0.0009	ND	ND
	2021/1/7	ND	0.006	ND	0.03	0.0009	ND	ND
	2021/2/12	ND	0.003	ND	0.04	0.0010	ND	ND
	2021/3/4	ND	0.023	ND	0.03	0.0012	ND	0.000009

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)


※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection



福島第一原子力発電所沿岸海域の海水採取ポイント (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の **×** は東京電力ホールディングス(株)福島第一原子力発電所を示す。

* The legend  indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所近傍・沿岸海域の海底土の放射性物質濃度分布
 (東京電力ホールディングス株の発表をもとに作成※1)
 試料採取日:令和3年5月3日

Radioactivity concentration in the sediment near and around Fukushima Dai-ichi NPP
 (Based on the press release of TEPCO※1)
 Sampling Date: May 3, 2021

令和3年6月22日
 Jun 22, 2021

	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/kg・乾土)(ND ^{※2} :不検出)					
Radioactivity concentration (Lower detection limit) (Bq/kg·dry soil) (ND ^{※2} : Not Detectable)					
近傍海域					
T-1	2021/2/1 8:30	11	270		
	2021/3/1 8:10	8.1	260	ND(0.75)	
	2021/4/7 9:27	9.2	230	ND(0.011)	0.039
	2021/5/3 9:11	11	240	ND(0.66)	
T-2	2021/2/1 7:10	5.1	110		
	2021/3/1 7:00	5.7	140	ND(0.80)	
	2021/4/7 8:10	5.1	110	ND(0.011)	0.090
	2021/5/3 7:40	5.2	120	ND(0.68)	
沿岸海域					
T-3	2021/2/2 14:20	4.0	51		
	2021/3/2 13:50	ND(2.8)	56		
	2021/4/6 14:55	2.3	65		
	2021/5/6 11:20	ND(2.4)	63		
T-4	2021/2/2 8:35	ND(2.3)		29	
	2021/3/2 8:30		2.8	42	
	2021/4/6 8:35	ND(1.9)		26	
	2021/5/6 8:30	ND(2.0)		36	
T-5	2021/2/1 8:04	ND(2.3)	45		
	2021/3/1 8:12	2.4	38		
	2021/4/1 8:43	ND(2.9)	50		
	2021/5/6 7:11	ND(2.3)	30		
T-11	2021/2/1 10:02	ND(2.0)	27		
	2021/3/1 10:11	ND(3.0)	24		
	2021/4/1 7:14	ND(3.1)	44		
	2021/5/6 8:44	ND(2.4)	17		
T-14	2021/2/1 7:31	ND(2.2)		4.5	
	2021/3/1 7:39	ND(1.9)		7.2	
	2021/4/1 7:45	ND(2.1)		3.8	
	2021/5/6 7:34	ND(2.5)		6.0	
T-①	2021/2/11 7:46	ND(3.2)	27		
	2021/3/18 7:42	ND(2.6)	20		
	2021/4/28 7:43	ND(2.5)	22		
	2021/5/11 7:47	ND(3.3)	25		
T-③	2021/2/11 8:29	11	240		
	2021/3/18 8:23	10	230		
	2021/4/28 8:28	3.0	100		
	2021/5/11 8:27	4.5	100		
T-④	2021/2/11 8:20		4.3	91	
	2021/3/18 8:16		3.3	74	
	2021/4/28 8:19		4.9	170	
	2021/5/11 8:20		3.1	60	
T-⑤	2021/2/11 8:10	5.4	99		
	2021/3/18 8:07	3.8	110		
	2021/4/28 8:10	3.9	68		
	2021/5/11 8:12	12	240		
T-⑥	2021/2/12 9:01		12	280	
	2021/3/5 7:38		11	280	
	2021/4/16 7:24		12	300	
	2021/5/11 7:30		9.4	230	
T-⑦	2021/2/12 8:47	3.2	67		
	2021/3/5 7:28	3.6	77		
	2021/4/16 7:17	ND(3.4)	89		
	2021/5/11 7:21	4.6	87		
T-⑧	2021/2/12 8:30	ND(2.0)		9.4	
	2021/3/5 7:20		3.5	33	
	2021/4/16 7:10		3.1	30	
	2021/5/11 7:13	ND(2.6)		42	
T-⑨	2021/2/12 8:01	27	650		
	2021/3/5 7:06	12	290		
	2021/4/16 6:50	77	1900		
	2021/5/11 6:59	34	950		
T-⑩	2021/2/26 9:04	ND(2.8)		33	
	2021/3/4 9:06		2.9	71	
	2021/4/2 8:51	ND(2.2)		14	
	2021/5/12 7:47	ND(2.6)		10	
T-⑪	2021/2/26 8:01	3.2	39		
	2021/3/4 8:42	ND(2.7)	37		
	2021/4/2 8:27	3.8	61		
	2021/5/12 7:29	ND(2.9)	47		

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.


※1 東京電力ホールディングス株の発表 (<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Based on the press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)


※2 NDの記載は、海底土の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in the sediment was lower than the detection limits.

				Cs-134	Cs-137		
放射性物質濃度(検出下限値)(Bq/kg・乾土) Radioactivity concentration (Lower detection limit) (Bq/kg・dry soil)(ND※2 : Not Detectable)							
T-D1	2021/2/1 7:55	ND(1.9)	4.1				
	2021/3/1 8:05	ND(2.5)	7.9				
	2021/4/1 8:09	ND(2.0)	3.3				
	2021/5/6 8:01	3.0	110				
T-D5	2021/2/1 8:22	3.2	53	T-D9	2021/2/1 9:15 ND(2.4)		
	2021/3/1 8:40	ND(2.3)	25		2021/3/1 9:21 28		
	2021/4/1 8:45	ND(1.9)	5.7		2021/4/1 7:59 ND(2.7)		
	2021/5/6 8:40	ND(2.4)	7.9		2021/5/6 8:08 3.7		
T-⑫	2021/2/26 7:17	ND(3.1)	40	T-⑬	2021/2/12 9:53 5.2		
	2021/3/4 8:12	3.2	42		2021/3/5 8:18 7.6		
	2021/4/2 7:57	ND(3.0)	35		2021/4/16 8:01 10		
	2021/5/12 7:06	ND(3.8)	43		2021/5/11 8:04 3.7		
T-S1	2021/2/3 11:15	ND(2.4)	19	T-S3	2021/2/4 12:21 ND(2.1)		
	2021/3/24 9:18	ND(3.1)	15		2021/3/4 11:00 ND(2.3)		
	2021/4/22 9:53	ND(2.7)	7.3		2021/4/21 10:47 ND(2.3)		
	2021/5/27 9:49	ND(3.1)	7.4		2021/5/19 10:38 ND(2.6)		
T-S4	2021/2/4 12:06	ND(2.1)	9.2	T-S5	2021/2/11 6:16 5.2		
	2021/3/4 10:42	22	530		2021/3/8 6:12 ND(2.6)		
	2021/4/21 10:18	ND(2.5)	23		採取中止(No samples)		
	2021/5/19 10:20	ND(2.9)	27		2021/5/25 8:08 7.4		
T-S7	2021/2/11 5:50	ND(2.1)	12	T-S8	2021/2/18 6:06 ND(2.6)		
	2021/3/8 5:48	5.4	150		2021/3/16 5:41 ND(2.7)		
	採取中止(No samples)				2021/4/20 7:03 ND(2.9)		
	2021/5/25 7:39	4.0	100		2021/5/20 5:37 ND(2.8)		
T-B1	2021/2/26 6:47	ND(1.8)	7.2	T-B2	2021/2/26 6:23 ND(2.3)		
	2021/3/19 10:10	ND(2.3)	3.6		2021/3/19 10:42 ND(3.8)		
	採取中止(No samples)				採取中止(No samples)		
	2021/5/18 5:50	ND(1.2)	5.1		2021/5/18 6:35 ND(2.4)		
T-B3	採取中止(No samples)			T-B4	採取中止(No samples)		
	2021/3/18 5:54	ND(2.7)	2.7		2021/3/18 6:43 ND(2.5)		
	2021/4/28 5:21	ND(2.3)	3.7		2021/4/28 6:04 ND(2.5)		
	2021/5/25 5:49	ND(2.0)	5.0		2021/5/25 6:41 ND(2.5)		
T-13-1	2021/3/10 6:39	ND(0.83)	ND(1.0)	T-7	2021/3/12 6:39 ND(3.0)		
	2021/5/21 6:58	ND(3.6)	43		2021/5/7 6:39 ND(3.6)		
T-18	2021/3/12 9:15	8.6	200	T-12	2021/3/11 5:42 ND(2.5)		
	2021/5/7 8:53	10	290		2021/5/13 5:30 ND(2.1)		
T-17-1	2021/3/11 6:08	ND(2.2)	32	T-20	2021/3/11 6:32 ND(2.6)		
	2021/5/13 6:00	ND(2.7)	80		2021/5/13 6:25 ND(2.5)		
T-22	2021/3/10 5:40	ND(2.4)	2.5	T-MA	2021/3/10 6:12 ND(2.2)		
	2021/5/21 8:19	ND(1.2)	1.7		2021/5/21 6:21 ND(2.3)		
T-M10	2021/3/12 8:18	ND(3.8)	67				
	2021/5/7 7:56	ND(3.5)	47				




Concentration ranges of Cs-137 in sea-sediment
near the Fukushima Daiichi NPS surveyed by TEPCO



Concentration ranges of Cs-137 in sea-sediment
around the Fukushima Daiichi NPS surveyed by TEPCO

福島第一及び第二原子力発電所近傍海域の海底土採取ポイント
(Sediment sampling points near Fukushima Dai-ichi and Dai-ni NPPs)



図中の■及び▼は東京電力ホールディングス株福島第一原子力発電所及び福島第二原子力発電所を示す。
The legends ■ and ▼ indicate the locations of TEPCO Dai-ichi and Dai-ni NPPs, respectively.

福島第一原子力発電所近傍海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成※¹)

Radioactivity concentration in the sediment near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture※¹)

採取場所 Sampling point	採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/kg) (ND※ ² : 不検出)						
Radioactivity concentration (Lower detection limit) (Bq/kg) (ND※ ² : Not detected)						
南放水口付近 F-P01	2019/2/13	18	210	ND	ND	0.12
	2019/5/10	19	260	0.22	ND	0.22
	2019/8/1	25	330	0.27	ND	0.29
	2019/11/21	18	270	ND	ND	0.15
	2020/2/4	13	210	ND	ND	0.12
	2020/5/14	13	240	ND	ND	0.19
	2020/8/6	17	320	ND	ND	0.15
	2020/11/12	11	220	0.21	ND	0.21
	2021/2/12	10	250	0.29	ND	0.22
北放水口付近 F-P02	2019/2/13	14	170	ND	ND	0.20
	2019/5/10	12	160	ND	ND	0.27
	2019/8/1	15	210	0.19	ND	0.29
	2019/11/21	23	330	0.35	ND	0.29
	2020/2/4	8.7	150	ND	ND	0.25
	2020/5/14	13	230	0.44	ND	0.15
	2020/8/6	12	230	ND	ND	0.15
	2020/11/12	11	240	ND	ND	0.18
	2021/2/12	9.1	190	ND	ND	0.19
取水口付近 F-P03	2019/2/13	24	300	0.20	ND	0.18
	2019/5/10	26	340	ND	ND	0.30
	2019/8/1	26	390	0.19	ND	0.32
	2019/11/21	19	280	0.19	ND	0.18
	2020/2/4	13	190	ND	ND	0.26
	2020/5/14	15	270	0.30	ND	0.24
	2020/8/6	11	220	0.25	ND	0.21
	2020/11/12	12	240	ND	ND	0.27
	2021/2/12	13	290	0.43	ND	0.26
第一(発)沖合 2km F-P04	2019/2/13	2.6	32	ND	ND	0.43
	2019/5/10	1.8	20	ND	ND	0.37
	2019/8/1	2.6	29	ND	0.01	0.36
	2019/11/21	12	190	ND	ND	0.45
	2020/2/4	2.9	48	ND	ND	0.33
	2020/5/14	3.6	65	ND	ND	0.40
	2020/8/6	3.1	56	ND	ND	0.31
	2020/11/12	1.3	45	0.26	ND	0.25
	2021/2/12	1.8	38	ND	ND	0.37

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection

福島第一原子力発電所周辺海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成※¹)

Radioactivity concentration in the sediment around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture※¹)

採取場所 Sampling point	採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/kg) (ND※ ² : 不検出)						

夫沢・熊川沖2km (大熊町) (F-P05)	2019/2/13	2.0	24	ND	ND	0.39
	2019/5/10	2.5	36	ND	ND	0.52
	2019/8/1	1.9	28	ND	ND	0.42
	2019/11/21	5.0	76	0.32	ND	0.44
	2020/2/4	3.4	60	ND	ND	0.50
	2020/5/14	3.2	54	ND	0.02	0.50
	2020/8/6	2.1	35	ND	ND	0.42
	2020/11/12	1.6	44	0.25	ND	0.48
	2021/2/12	1.5	32	0.20	ND	0.44

前田川沖2km (双葉町) (F-P06)	2019/2/13	7.4	99	ND	0.01	0.50
	2019/5/10	2.0	30	ND	ND	0.46
	2019/8/1	1.7	17	ND	ND	0.38
	2019/11/21	11	170	0.33	0.01	0.43
	2020/2/4	4.6	84	ND	0.01	0.38
	2020/5/14	13	230	ND	ND	0.37
	2020/8/6	5.2	99	ND	ND	0.41
	2020/11/12	11	240	ND	ND	0.33
	2021/2/12	4.6	110	0.19	ND	0.49


※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。


※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the

Bq/kg




Concentration ranges of Cs-137 in sea-sediment near and around the Fukushima Daiichi NPS surveyed by Fukushima prefecture

Bq/kg




Concentration ranges of Sr-90 in sea-sediment near and around the Fukushima Daiichi NPS surveyed by Fukushima prefecture

福島第一原子力発電所近傍海域の福島県による採泥ポイント
(Sediment sampling points near Fukushima Dai-ichi NPP)



*図中の❶は東京電力ホールディングス(株)福島第一原子力発電所を示す。
*The legend ❶ indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所沿岸海域の福島県による採泥ポイント
 (Sediment sampling points around Fukushima Dai-ichi NPP)



*図中の✖は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 *The legend ✖ indicates the location of TEPCO Fukushima Dai-ichi NPP.